VOLUME 83 • AUTHOR INDEX

Abdulla A. Giant coronary sinus and absent right superior vena cava, **704**
Absalom A *see* Soar J and Absalom A
Adgey AAJ *see* Maynard SJ *et al*
see Menown IBA and Adgey AAJ
Adnane J *see* Heesch CM *et al*
Akagi T *see* Iemura M *et al*
Aldous AJ *see* Vettukattil JJ *et al*
Alex AB *see* Deshpande SB and Alex AB
Allan L. Antenatal diagnosis of heart disease: *Education*, **367**
Allemann Y *see* de Marchi SF *et al*
see Roffi M *et al*
Allen DR *see* Kalra PR *et al*
Allen J *see* Thomson JDR *et al*
Al-Rawas OA *et al.* The alveolar-capillary membrane diffusing capacity and the pulmonary capillary blood volume in heart transplant candidates, **156**
Alt E *see* Schulz C *et al*
Altman DG. ROC curves and confidence intervals: getting them right: *letter*, **236**
Ananthasubramaniam K, Karthikeyan V. Metastatic renal cell cancer detected by transoesophageal echocardiography, **710**
Anderson G *see* Struthers AD *et al*
Anderson RH *see* Ho SY *et al*
see Li J *et al*
Anguita MP *see* Castillo JC *et al*
Appleton DS *see* Coulden RA *et al*
Arbustini E *et al.* Enteroviral infection causing fatal myocarditis and subclinical myopathy, **86**
Archard LC *see* Li Y *et al*
Argiri O *see* Goudevenos JA *et al*
Ariaratnam CA *see* Eddleston M *et al*
Attali P *et al.* Aortic valve tumour trapped in the right coronary ostium, **184**
Attapattu S *see* Eddleston M *et al*
Aziz TM *see* Burgess MI *et al*

Baig MK *see* Mahon NG *et al*
Baker CSR *see* Barnes E *et al*
Banerjee S *see* Hemingway H *et al*
Banning AP *see* Ferguson JD and Banning AP
Bannister J *see* Pepper CB *et al*
Barbeyto S *see* Mahon NG *et al*
Barnes E *et al.* Prolonged left ventricular dysfunction occurs in patients with coronary artery disease after both dobutamine and exercise induced myocardial ischaemia, **283**
Barold SS *see* Garrigue S *et al*
Barron HV *see* Viskin S *et al*
Bartoletti A *see* Brignole M *et al*
Basso C *see* Corrado D *et al*
Batin PD *see* Pepper CB *et al*
Bax JJ *see* Elhendy A *et al*
Baxter GF *see* Yellon DM and Baxter GF
see Zhu Y *et al*
Becher O *see* Cabana D *et al*
Becker AE *see* Sasaki Y *et al*
Beilharz C *see* Schulz C *et al*
Beitzke A *see* Gamillscheg A *et al*
Belhassen B *see* Viskin S *et al*
Belli A-M *see* Missouris CG *et al*
Bellini O *see* Arbustini E *et al*
Bello BD *see* Arbustini E *et al*
Belloni G *see* Santarone M *et al*
Benitez D *see* Zaidi A *et al*
Benson LN *see* Maeno YV *et al*
see Pedra CAC *et al*
Berggren H *see* Nygren A *et al*
Bergsland J *see* Ricci M *et al*
Bertella M *et al.* Exercise four hour redistribution thallium-201 SPECT and exercise induced ST segment elevation in detecting viable myocardium in patients with acute MI: *letter*, **103**
Betancor M *see* Kampmann C *et al*
Bhopal R, Sengupta-Wiebe S. Cardiovascular risks and outcomes: ethnic variations in hypertensive patients: *editorial*, **495**
Billaud P *see* Attali P *et al*
Bishop AJ. Improving ventricular systolic function: simple messages from complex models: *editorial*, **614**
Blackshear JL *see* Gerber TC *et al*
Blann AD *see* Goldsmith IRA *et al*
Block LH *see* Ziesche R *et al*
Blommaert D *et al.* Ventricular pacing and right bundle branch block morphology: diagnosis and management, **666**
Böcker W *see* Frings AM *et al*
Böhm A *et al.* Ventricular fibrillation provoked by cardioversion and asynchronous pacing, **424**
Bojić M *see* Popović Z *et al*
Bonser RS *see* Neil DAH *et al*
see Pagano D *et al*
Bontempo FA *see* Heesch CM *et al*
Boonstra P *see* Wittwer T *et al*
Bottoni N *see* Brignole M *et al*
Boutin C *see* Maeno YV *et al*
Bracke FA *et al.* Exchange of pacing or defibrillator leads following laser sheath extraction of non-functional leads in patients with ipsilateral obstructed venous access, **e12**
Brady PA *see* Gerber TC *et al*
Brecker SJ *see* Elliott PM *et al*
Bredee JJ *see* Peters RJG and Bredee JJ
Breithardt OA *see* Franke A *et al*
Brignole M *et al.* Clinical features of adenosine sensitive syncope and tilt induced vasovagal syncope, **24**
Brooks NH *see* Burgess MI *et al*
Brosh D *see* Viskin S *et al*
Brown S *see* Zouridakis EG *et al*
Budts W *see* Fierens C *et al*
Burgess MI *et al.* Value of echocardiography in predicting long term outcome after heart transplantation: *letter*, **105**
Butler R, Hubner PJB. Acute severe thrombocytopenia after treatment with ReoPro (abciximab), **e5**

Cabana D *et al.* Histiocytoid cardiomyopathy presenting with Wolff-Parkinson-White syndrome, **98**
Camerini F *see* Pinamonti B *et al*
Camici PG. Positron emission tomography and myocardial imaging: *Education*, **475**
see Barnes E *et al*
see Pagano D *et al*
Capewell S *see* Perry A *et al*
Carlier SG *see* Kay IP *et al*
Carter R *see* Al-Rawas OA *et al*
Castillo JC *et al.* Long term outcome of infective endocarditis in patients who were not drug addicts: a 10 year study, **525**
Cazeau S *see* Garrigue S *et al*
Chalmers J *see* Perry A *et al*
Chan K-L. Giant coronary sinus and absent right superior vena cava, **704**
Chen J-H *see* Lin J-L *et al*
Cheng TO. Acupuncture anaesthesia for open heart surgery, **256**
Cheung YF *et al.* Serial assessment of left ventricular diastolic function after Fontan procedure, **420**
Cieśliński A *see* Prech M *et al*
Clarke SC, Schofield PM. Percutaneous myocardial laser revascularisation: *editorial*, **253**
Clementy J *see* Garrigue S *et al*
Coats AJS *see* Cowie MR *et al*
see Davies LC *et al*
Cobbe S *see* Perry A *et al*
Codispoti M *see* Currie PF *et al*
Coen VLMA *see* Kay IP *et al*
Colbert D *see* Eddleston M *et al*
Cole D *see* Garcia-Moll X *et al*
Collins PD *see* Murray S *et al*
Concha M *see* Castillo JC *et al*
Connell MG *see* Ho SY *et al*
Cook A *see* Li J *et al*
Cook AC *see* Ho SY *et al*
Cooke JC *et al.* Mid-ventricular HOCM with apical asynergy, **517**
Cooper JA *see* Sayer JW *et al*
Corrado D *et al.* Arrhythmogenic right ventricular cardiomyopathy: diagnosis, prognosis, and treatment: *Education*, **588**
Corrado G *see* Santarone M *et al*
Cortadellas J *see* Figueras J *et al*
Coselli JS *see* Miller JS *et al*
Costa MA *see* Kay IP *et al*
Costa S *see* Brignole M *et al*
Cotton JM *see* Cooke JC *et al*
Coulden RA *et al.* High resolution magnetic resonance imaging of atherosclerosis and the response to balloon angioplasty, **188**
Cowan JC *see* Pepper CB *et al*
Cowie MR. BNP: soon to become a routine measure in the care of patients with heart failure?: *editorial*, **617**
Cowie MR *et al.* Survival of patients with a new diagnosis of heart failure: a population based study, **505**
Cox ID *see* Zouridakis EG *et al*
Craig N *see* Perry A *et al*
Cremer J *see* Wittwer T *et al*
Currie PF *et al.* Late aortic homograft valve endocarditis caused by *Cardiobacterium hominis*: a case report and review of the literature, **579**

Daikoku S *see* Kojima S *et al*
Dash PK *see* Krishnamoorthy KM *et al*

Davidson LA *see* Paniagua JR *et al*
Davies LC *et al.* Chronic heart failure in the elderly: value of cardiopulmonary exercise testing in risk stratification, **147**
Davies MJ. The cardiomyopathies: an overview: *Education*, **469**
The pathophysiology of acute coronary syndromes: *Education*, **361**
Davies MK, Hollman A. Transplantation, **11**, **618**
Congresses, **373**
Health campaigns, **130**
World Health Organization, **496**
de Feyter PJ *see* Kay IP *et al*
see von Birgelen C *et al*
del Rosso A *see* Brignole M *et al*
de Leval MR *see* Hsia T-Y *et al*
de Marchi SF *et al.* Relaxation in hypertrophic cardiomyopathy and hypertensive heart disease: relations between hypertrophy and diastolic function, **678**
Dempster M, Donnelly M. Measuring the health related quality of life of people with ischaemic heart disease, **641**
Denef B *see* Fierens C *et al*
den Heijer P *see* Wittwer T *et al*
Deronck D *see* Underwood MJ *et al*
de Roy L *see* Blommaert D *et al*
Deshpande NV *see* Kay IP *et al*
Deshpande SB, Alex AB. On the management of scorpion stings: *letter*, **585**
de Vrey EA *see* von Birgelen C *et al*
de Winter RJ *see* Koch KT *et al*
D'Hondt A-M *see* Jucquois I *et al*
Diegoli M *see* Arbustini E *et al*
Dimitrow PP *et al.* Effect of verapamil on systolic and diastolic coronary blood flow velocity in asymptomatic and mildly symptomatic patients with hypertrophic cardiomyopathy, **262**
Dion R *see* Underwood MJ *et al*
Donaldson L *see* Wren C *et al*
Donnan PT *see* Struthers AD *et al*
Donnelly M *see* Dempster M and Donnelly M
Drexler H *see* Wittwer T *et al*
Dubiel JS *see* Dimitrow PP *et al*
Dutka DP *see* Barnes E *et al*

Easaw J *et al.* Perivalvar abscess of the mitral valve annulus with perforation owing to infective endocarditis, **261**
Eddleston M *et al.* Acute yellow oleander (*Thevetia peruviana*) poisoning: cardiac arrhythmias, electrolyte disturbances, and serum cardiac glycoside concentrations on presentation to hospital, **301**
Elder AT *see* Sutaria N *et al*
Elhendy A *et al.* The grade of worsening of regional function during dobutamine stress echocardiography predicts the extent of myocardial perfusion abnormalities, **35**
Elizari A *see* Sarubbi B *et al*
Elliott PM *et al.* Left ventricular opacification during selective intracoronary injection of echocardiographic contrast in patients with hypertrophic cardiomyopathy, **e7**
see Mahon NG *et al*
El-Omar M *see* Easaw J *et al*
Emmertsen K *see* Hjortdal VE *et al*
Emori T *see* Yamanari H *et al*
Emschermann T *see* Kampmann C *et al*
Erbel R *see* von Birgelen C *et al*
Eriano G *see* Bertella M *et al*

Faber L *et al.* Percutaneous transluminal septal myocardial ablation for hypertrophic obstructive cardiomyopathy: long term follow up of the first series of 25 patients, **326**
Fall CHD *see* Kumaran K *et al*
Farzaneh-Far A *et al.* Mobile intracardiac calcinosis: risk of thromboembolism in patients with haemodialysed end stage renal disease: *letter*, **582**
Ferguson JD, Banning AP. Ultrasound guided percutaneous thrombin injection for the treatment of iatrogenic pseudoaneurysms: *letter*, **582**
Fierens C. A 72 year old woman with ALCAPA, **e2**
Figueras J *et al.* Left ventricular free wall rupture: clinical presentation and management, **499**
Fish R *see* Viskin S *et al*
Fitzpatrick AP *see* Zaidi A *et al*
Fox KM *et al.* Antianginal and anti-ischaemic efficacy of tedisamil, a potassium channel blocker, **167**
Francis DP *see* Davies LC *et al*
Franco M *see* Castillo JC *et al*
Franke A *et al.* Non-contrast second harmonic imaging improves interobserver agreement and accuracy of dobutamine stress echocardiography in patients with impaired image quality, **133**
Frings AM *et al.* Comparative coronary anatomy in six twin pairs with coronary artery disease, **47**
Frymann R *see* Kalra PR *et al*
Fujikawa H *see* Hojo Y *et al*
Fujino N *see* Hiraishi S *et al*
Fukushima K *see* Yamanari H *et al*

Gaggioli G *see* Brignole M *et al*
Gall N. Technician run open access exercise electrocardiography: *letter*, **714**
Gallagher PJ *see* Lee AHS *et al*
Galve E *see* Soler-Soler J and Galve E
Gamillscheg A *et al.* Ventricular and atrial septal defects, and right aortic arch associated with isolation of the left innominate artery from the aorta, **99**
Gammage MD. Temporary cardiac pacing: *Education*, **715**
Garcia-Moll X *et al.* Increased serum neopterin: a marker of coronary artery disease activity in women, **346**
see Zouridakis EG *et al*
Garg N *et al.* Postcoarctation giant aneurysm of aorta, **432**
Garrahy P *see* Kubler P *et al*
Garrigue S *et al.* Is there a synergic effect of propafenone associated with atrial overdrive pacing for atrial arrhythmia prevention? A randomised crossover study, **172**
Gatzoulis MA *et al.* Definitive palliation with cavopulmonary or aortopulmonary shunts for adults with single ventricle physiology, **51**
Gavazzi A *see* Arbustini E *et al*
Gaydecki PA *see* Zaidi A *et al*
Gelding SV *see* Sayer JW *et al*
Geleijnse ML *see* Elhendy A *et al*
Gerber TC *et al.* Onset and termination of atrial fibrillation, **587**
Germann P *see* Ziesche R *et al*
Gersh BJ *see* Nishimura RA *et al*
Ghuran A, Nolan J. Recreational drug misuse: issues for the cardiologist, **627**
Gibbons RJ. Myocardial perfusion imaging: *Education*, **355**
Gibbs H *see* Kubler P *et al*
Gibbs JL. Interventional catheterisation. Opening up I: the ventricular outflow tracts and great arteries: *Education*, **111**
Interventional catheterisation. Opening up II: venous return, the atrial septum, the arterial duct, aortopulmonary shunts, and aortopulmonary collaterals: *Education*, **237**
see Thomson JDR *et al*
Gijzel AL *see* Kay IP *et al*
Giogiakas V *see* Goudevenos JA *et al*
Gladstone DJ *see* Jones JM *et al*
Glass D *see* Jucquois I *et al*
Glineur D *see* Underwood MJ *et al*
Godman MJ *see* Currie PF *et al*
Goldsmith IRA *et al.* Plasma fibrinogen, soluble P-selectin, and von Willebrand factor in aortic valve disease: evidence for abnormal haemorheology, platelet activation, and endothelial dysfunction: *letter*, **577**
Goltz D *see* Ho SY *et al*
Gorog DA, Lefroy DC. Potentially fatal atrial pacemaker lead disruption detected by fluoroscopic surveillance, **563**
Goto Y *see* Kojima S *et al*
Gottsauner-Wolf M *see* Wexberg P and Gottsauner-Wolf M
Goudevenos JA *et al.* Ventricular pre-excitation in the general population: a study on the mode of presentation and clinical course, **29**
Grabitz RG *see* Sigler M *et al*
Gradinac S *see* Popović Z *et al*
Graekas G *see* Goudevenos JA *et al*
Grajek S *see* Prech M *et al*
Grandjean J *see* Wittwer T *et al*
Grasso M *see* Arbustini E *et al*
Graves MJ *see* Coulden RA *et al*
Gray PB *see* Lee AHS *et al*
Greaves SC. Assessment of left ventricular systolic function in research and in clinical practice: *editorial*, **493**
Grimm W *see* Hoffmann J *et al*

Habermehl P *see* Kampmann C *et al*
Haissaguerre M *see* Garrigue S *et al*
Hall R. *Heart* in the 21st century: *editorial*, **1**
Hall RJC *see* Barnes E *et al*
Hallworth D *see* Wilson N *et al*
Hanada A *et al.* Dissociation between muscle metabolism and oxygen kinetics during recovery from exercise in patients with chronic heart failure, **161**
Handt S *see* Sigler M *et al*
Hanrath P *see* Franke A *et al*
Hansen OK *see* Hjortdal VE *et al*
Hasegawa K *see* Suzuki T *et al*
Hausdorf G *see* Jux C *et al*
Haverich A *see* Pethig K *et al*
see Wittwer T *et al*
Heaven DJ *et al.* Pacemaker lead related tricuspid stenosis: a report of two cases, **351**
Heesch CM *et al.* Cocaine activates platelets and increases the formation of circulating platelet containing microaggregates in humans, **688**
Heidland UE *see* Heintzen MP *et al*
Heintzen MP *et al.* Intracoronary dipyridamole reduces the incidence of abrupt vessel closure following PTCA: a prospective randomised trial, **551**
Heller K *see* Viskin S *et al*

Hemingway H *et al.* Using guidelines for coronary revascularisation: how many are needed and are they any good?: *editorial*, **5**
Henderson JR *see* Fox KM *et al*
Henein MY *see* Heaven DJ *et al*
Hengstenberg C *see* Frings AM *et al*
Hepp A *see* Wittwer T *et al*
Herrmann RA *see* Schulz C *et al*
Hildick-Smith D *et al.* Radial coronary angiography and stenting: *letter*, **584**
Hildick-Smith DJR, Shapiro LM. Balloon mitral valvuloplasty in the elderly: *editorial*, **374**
Hillis GS *see* Trent RJ *et al*
Hillis WS *see* McCann GP *et al*
see Swan L and Hillis WS
Hirai A *see* Shikama N *et al*
Hiraishi S *et al.* Transthoracic ultrasonic visualisation of coronary aneurysm, stenosis, and occlusion in Kawasaki disease, **400**
Hirota H *see* Hiraishi S *et al*
Hjalmarson A *see* Wennerblom B *et al*
Hjortdal VE *et al.* Neurohormonal activation late after cavopulmonary connection, **439**
Ho SY *et al.* The atrioventricular junctions in Ebstein malformation, **444**
see Li J *et al*
Hocini M *see* Garrigue S *et al*
Hoffmann J *et al.* Heart rate variability and baroreflex sensitivity in idiopathic dilated cardiomyopathy, **531**
Hoffmann R *see* Franke A *et al*
Hogg D *see* McIlwaine L *et al*
Hojo Y *et al.* Inhibition of angiotensin converting enzyme cannot prevent increases in angiotensin II production in coronary circulation, **574**
see Zhu Y *et al*
Hollman A. Dr Carey Coombs and his non-existent cardiac infarct: *letter*, **586**
see Davies MK and Hollman A
Horiguchi Y *see* Hiraishi S *et al*
Horne R *et al.* Patients' interpretation of symptoms as a cause of delay in reaching hospital during acute myocardial infarction, **388**
Hsia T-Y *et al.* Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation: *letter*, **583**
Huang SKS *see* Lin J-L *et al*
Hubner PJB *see* Butler R and Hubner PJB
Huth R-G *see* Kampmann C *et al*
Hutton I *see* Keeble W *et al*

Ibrahim T. Diagnosis of apical hypertropic cardiomyopathy using magnetic resonance imaging, **e1**
Iemura M *et al.* Long term consequences of regressed coronary aneurysms after Kawasaki disease: vascular wall morphology and function, **307**
Iga K *et al.* Continuous murmur thorough atrial septal defect, **613**
Ikeda U *see* Hojo Y *et al*
see Zhu Y *et al*
Ikonen A *see* Poutanen T *et al*
Ishii M *see* Iemura M *et al*
Ishiwata S *see* Suzuki T *et al*
Isles CG, Norrie J. Lipid lowering drugs for patients who continue to smoke?: *editorial*, **619**
Itoh A *see* Kojima S *et al*
Iyer VR *see* Krishnamoorthy KM *et al*
Izumi C *see* Iga K *et al*
Izumi T *see* Niwano S *et al*

Jais P *see* Garrigue S *et al*
James D *see* Horne R *et al*
James MA *see* Murray S *et al*
Jayalath S *see* Eddleston M *et al*
Jemielity M *see* Prech M *et al*
Jenni R *see* Prêtre R and Jenni R
Jensen KT *see* Hjortdal VE *et al*
Johns S *see* Vettukattil JJ *et al*
Joint Working Group on Coronary Angioplasty of the British Cardiac Society and British Cardiovascular Intervention Society Coronary angioplasty: guidelines for good practice and training, **224**
Jokinen E *see* Poutanen T *et al*
Jolobe O. Surgery for aortic stenosis in severely symptomatic patients older than 80 years: experience in a single UK centre: *letter*, **583**
Jones HJ *see* Thambyrajah J *et al*
Jones JM *et al.* Traumatic aortopulmonary fistula: echocardiographic appearance, **16**
Jones PW *see* O'Leary CJ and Jones PW
Joy M. Flying after heart surgery: *letter*, **584**
Jucquois I *et al.* Comparison of myocardial contrast echocardiography with NC100100 and ^{99m}Tc sestamibi SPECT for detection of resting myocardial perfusion abnormalities in patients with previous myocardial infarction, **518**
Juneja R *et al.* Submitral pseudoaneurysm in purulent pericarditis: *letter*, **713**
Jux C *et al.* Coronary artery fistula dependent systemic perfusion, **712**

Kakuchi H *et al.* Swallow syncope associated with complete atrioventricular block and vasovagal syncope, **702**
Kalra PR *et al.* Strangulated gastric volvulus: an unusual cause of cardiac compression resulting in electromechanical dissociation, **550**
Kampmann C *et al.* Normal values of M mode echocardiographic measurements of more than 2000 healthy infants and children in central Europe, **667**
Kapoor A *see* Garg N *et al*
Karamanoukian HL *see* Ricci M *et al*
Karthikeyan V *see* Ananthasubramaniam K and Karthikeyan V
Kaski JC *see* Fox KM *et al*
see Garcia-Moll X *et al*
see Zouridakis EG *et al*
Kato H *see* Iemura M *et al*
Katsouras CS *see* Goudevenos JA *et al*
Katsuki T *see* Hojo Y *et al*
Kaulitz R *see* Jux C *et al*
Kawamura Y *see* Kakuchi H *et al*
Kay IP *et al.* Outcome from balloon induced coronary artery dissection after intracoronary β radiation, **332**
Kay P *et al.* Relation between duration and intensity of first exercise and "warm up" in ischaemic heart disease, **17**
Keeble W *et al.* Myocardial stunning after streptokinase: what is the significance of the Q wave?, **e11**
Keeton BR *see* Vettukattil JJ *et al*
Kelm M *see* Heintzen MP *et al*
Kenny RA *et al.* The Newcastle protocols for head-up tilt table testing in the diagnosis of vasovagal syncope, carotid sinus hypersensitivity, and related disorders, **564**
see Parry SW *et al*
Kerr F *see* Prendergast BD *et al*
Khambadkone S *see* Hsia T-Y *et al*
Khattar RS *et al.* Racial variation in cardiovascular morbidity and mortality in essential hypertension, **267**
Khoury GE *see* Underwood MJ *et al*
Kimura T *see* von Birgelen C *et al*
Kinoshita H *see* Sasaki Y *et al*
Kitabatake A *see* Hanada A *et al*
Kitano Y *see* Niwano S *et al*
Kittelson J *see* Kay P *et al*
Klein W *see* Zweiker R *et al*
Klimek WJ *see* Heintzen MP *et al*
Knight CJ. Five years of percutaneous transluminal septal myocardial ablation: *editorial*, **255**
Knuf M *see* Kampmann C *et al*
Koch KT *et al.* Triage of patients for short term observation after elective coronary angioplasty, **557**
Kohya T *see* Hanada A *et al*
Kojima S *et al.* Is preinfarction angina related to the presence or absence of coronary plaque rupture?, **64**
Kondo H *see* Iga K *et al*
Konishi T *see* Iga K *et al*
Kopatschka J *see* Ziesche R *et al*
Kothari SS *see* Juneja R *et al*
Krabbendam SC *see* Whelan DM *et al*
Krishnamoorthy KM *et al.* Candle flame appearance in dissection of aorta, **387**
Krzanowski M *see* Dimitrow PP *et al*
Kubler P *et al.* Platypnoea–orthodeoxia syndrome, **221**
Kuester L *see* Fox KM *et al*
Kuhl HP *see* Franke A *et al*
Kuhl M *see* Schuchert A *et al*
Kularatne SAM *see* Eddleston M *et al*
Kumaran K *et al.* Blood pressure, arterial compliance, and left ventricular mass: no relation to small size at birth in south Indian adults, **272**
Kurata T *see* Nakazato Y *et al*

Lahiri A *see* Khattar RS *et al*
Lai L-P *see* Lin J-L *et al*
Lamb RK *see* Vettukattil JJ *et al*
Landray MJ *see* Thambyrajah J *et al*
Laniado S *see* Viskin S *et al*
Lawrence DR *et al.* Parsonnet score is a good predictor of the duration of intensive care unit stay following cardiac surgery, **429**
Lee AHS *et al.* Sudden death and regional left ventricular fibrosis with fibromuscular dysplasia of small intramyocardial coronary arteries, **101**
le Feuvre C. Angioplasty and stenting in patients with renal disease: *editorial*, **7**
Lefroy DC *see* Gorog DA and Lefroy DC
Leitner E-RV *see* Wittwer T *et al*
Lemaire SA *see* Miller JS *et al*
Leon MB *see* von Birgelen C *et al*
Lepper W *see* Franke A *et al*
Leschke M *see* Heintzen MP *et al*
Levendag PC *see* Kay IP *et al*
Lewington V *see* Vettukattil JJ *et al*

Li J *et al.* Coronary arterial origins in transposition of the great arteries: factors that affect outcome. A morphological and clinical study, **320**
Li Y *et al.* High prevalence of enteroviral genomic sequences in myocardium from cases of endemic cardiomyopathy (Keshan disease) in China, **696**
Lie KI *see* Koch KT *et al*
Lien W-P *see* Lin J-L *et al*
Lim PO *et al.* Is there a role for renin profiling in selecting chronic heart failure patients for ACE inhibitor treatment?, **257**
Lin J-L *et al.* Distal end of the atrioventricular nodal artery predicts the risk of atrioventricular block during slow pathway catheter ablation of atrioventricular nodal re-entrant tachycardia, **543**
Lin L-J *see* Lin J-L *et al*
Lip GYH *see* Goldsmith IRA *et al*
Lolli G *see* Brignole M *et al*
Lomas DJ *see* Coulden RA *et al*
Lowe M *see* Hildick-Smith D *et al*
Ludman P *see* Hildick-Smith D *et al*
Lurje L *see* Wennerblom B *et al*

McCabe CJ *see* Wierzbicki AS *et al*
McCann GP *et al.* Exercise testing, symptoms, and clinical outcome in aortic stenosis: *letter*, **105**
McCarthy K *see* Ho SY *et al*
MacDonald T *see* Struthers AD *et al*
MacFadyen RJ *see* Lim PO *et al*
Macfadyen RJ, Struthers AD. Diuretic use and abuse in systolic cardiac failure: a recipe for renal impairment?: *letter*, **468**
McGlynn FJ *see* Thambyrajah J *et al*
MacGregor GA *see* Missouris CG *et al*
McIlwaine L *et al.* Fatal unruptured myocardial abscesses, **498**
McKenna WJ *see* Elliott PM *et al*
see Mahon NG *et al*
see Steptoe A *et al*
McKiddie FI *see* Trent RJ *et al*
Mackintosh AF *see* Pepper CB *et al*
McLaughlin PR *see* Maeno YV *et al*
McLeod K *see* Wilson N *et al*
McLeod KA *et al.* Growth and the implantable cardioverter defibrillator, **277**
McMurray JJ, Stewart S. Epidemiology, aetiology, and prognosis of heart failure: *Education*, **596**
Maeno YV *et al.* Dynamic morphology of the secundum atrial septal defect evaluated by three dimensional transoesophageal echocardiography, **673**
Maguire C *see* Jones JM *et al*
Mahon NG *et al.* Abnormal cardiopulmonary exercise variables in asymptomatic relatives of patients with dilated cardiomyopathy who have left ventricular enlargement, **511**
see Steptoe A *et al*
Maisch B *see* Hoffmann J *et al*
Major K *see* Perry A *et al*
Mankad PS *see* Currie PF *et al*
Marber MS *see* Yousef ZR *et al*
Marchant B *see* Sayer JW *et al*
Mariani M *see* Wittwer T *et al*
Martin W *see* Keeble W *et al*
Martyn CN *see* Kumaran K *et al*
Matsubara H *see* Yamanari H *et al*
Matsumoto T *see* Kojima S *et al*
Mayer B *see* Frings AM *et al*
Maynard SJ *et al.* Troponin T or troponin I as cardiac markers in ischaemic heart disease: *editorial*, **371**
Mazeika PK. Quality of life four years after myocardial infarction: short form 36 scores compared with a normal population: *letter*, **104**
Meier B. Coronary angioplasty is like going to the dentist: *editorial*, **491**
see Roffi M *et al*
see Windecker S and Meier B
Meijer A *see* Bracke FA *et al*
Meinertz T *see* Schuchert A *et al*
Meissner A *see* Faber L *et al*
Melin JA *see* Jucquois I *et al*
Menown IBA *see* Maynard SJ *et al*
Menown IBA, Adgey AAJ. Improving the ECG classification of inferior and lateral myocardial infarction by inversion of lead aVR, **657**
Menozzi C *see* Brignole M *et al*
Menz V *see* Hoffmann J *et al*
Mesa D *see* Castillo JC *et al*
Meyer WP *see* Eddleston M *et al*
Michel CJ *see* Heintzen MP *et al*
Miller JS *et al.* Evaluating aortic dissection: when is coronary angiography indicated?: *editorial*, **615**
Mills P. Education in *Heart*: *editorial*, **110**
Professor M J Davies, Editor *Heart* 1992–99: *editorial*, **2**
Mintz GS *see* von Birgelen C *et al*
Mirić M *see* Popović Z *et al*
Misawa H *see* Hiraishi S *et al*
Missouris CG *et al.* "Apparent" heart failure: a syndrome caused by renal artery stenoses, **152**
Miyao Y *see* Kojima S *et al*
Miyazaki S *see* Kojima S *et al*
Miyazi K *see* Yamanari H *et al*
Mizuno O *see* Hojo Y *et al*
Mohabir A *see* Steptoe A *et al*
Monaghan MJ. Second harmonic imaging: a new tune for an old fiddle?: *editorial*, **131**
see Cooke JC *et al*
Monro JL *see* Vettukattil JJ *et al*
Morbini P *see* Arbustini E *et al*
Moriguchi M *see* Niwano S *et al*
Morii I *see* Kojima S *et al*
Morita H *see* Yamanari H *et al*
Morrison CE *see* Perry A *et al*
Moss H *see* Coulden RA *et al*
Mossard J-M *see* Attali P *et al*
Mucumbitsi J *see* Blommaert D *et al*
Mugge A *see* Wittwer T *et al*
Muir DF *see* McCann GP *et al*
Mulder K *see* Koch KT *et al*
Muller H-H *see* Hoffmann J *et al*
Munk M-D *see* Gatzoulis MA *et al*
Muñoz I *see* Castillo JC *et al*
Munsch CM *see* Paniagua JR *et al*
Murakami T *see* Hanada A *et al*
Murday A *see* Lawrence DR *et al*
Murray S *et al.* Neurostimulation treatment for angina pectoris: *review*, **217**
Muthusamy R *see* Steeds RP and Muthusamy R

Naik SK *see* Al-Rawas OA *et al*
Nakayama K *see* Yamanari H *et al*
Nakayama Y *et al.* Echocardiographic features of cardiac involvement in Fabry's disease, **695**
Nakazato Y *et al.* ST segment elevation in the precordial leads mimicking Brugada syndrome, **216**
Neil DAH *et al.* Coronary arteries from a single coronary ostium in the right coronary sinus: a previously unreported anatomy, **e9**
Nešković AN *see* Popović Z *et al*
Ng L *see* Talwar S *et al*
Nierop PR *see* Elhendy A *et al*
Nihoyannopoulos P *see* Barnes E *et al*
see Jucquois I *et al*
see Zouridakis EG *et al*
Nishijima H *see* Hanada A *et al*
Nishimura RA *et al.* The case for an aggressive surgical approach to papillary muscle rupture following myocardial infarction: "From paradise lost to paradise regained": *editorial*, **611**
Niu C *see* Li Y *et al*
Niwano S *et al.* Transient appearance of antegrade conduction via an AV accessory pathway caused by atrial fibrillation in a patient with intermittent Wolff-Parkinson-White syndrome, **e8**
Nižankowski R *see* Dimitrow PP *et al*
Nobuyoshi M *see* von Birgelen C *et al*
Nolan J *see* Ghuran A and Nolan J
Nonogi H *see* Kojima S *et al*
Norman MW *see* Mahon NG *et al*
Norrie J *see* Isles CG and Norrie J
Norris RM. The natural history of acute myocardial infarction: *Education*, **726**
Northridge D *see* Sutaria N *et al*
Nygren A *et al.* Preoperative evaluation and surgery in isolated ventricular septal defects: a 21 year perspective, **198**
Nykanen DG *see* Pedra CAC *et al*

Ogawa N *see* Hiraishi S *et al*
Ohe T *see* Yamanari H *et al*
Ohtsubo M *see* Hanada A *et al*
Okita K *see* Hanada A *et al*
O'Leary CJ, Jones PW. The left ventricular dysfunction questionnaire (LVD-36): reliability, validity, and responsiveness, **634**
Olsen KH *see* Hjortdal VE *et al*
O'Shea D *see* Kenny RA *et al*
see Parry SW *et al*
O'Sullivan JJ *see* Wren C *et al*
O'Toole L *see* Sutaria N *et al*

Pagano D *et al.* Hibernating myocardium: morphological correlates of inotropic stimulation and glucose uptake, **456**
Paniagua JR *et al.* Cystic tumour of the atrioventricular nodal region: report of a case successfully treated with surgery, **e6**
Parry SW *et al.* Diagnosis of carotid sinus hypersensitivity in older adults: carotid sinus massage in the upright position is essential, **22**
see Kenny RA *et al*
Parums DV *see* Pagano D *et al*
Pasquantonio J *see* Schulz C *et al*
Patel RL *see* Goldsmith IRA *et al*
Payne N *see* Wierzbicki AS *et al*

Pedersen EB *see* Hjortdal VE *et al*
Pedra CAC *et al.* Antegrade transcatheter closure of coronary artery fistulae using vascular occlusion devices, **94**
Peng T *see* Li Y *et al*
Penny DJ *see* Cheung YF *et al*
Pepper CB *et al.* Antiarrhythmic management and implantable defibrillator use in survivors of pre-hospital cardiac arrest without myocardial infarction in West Yorkshire, **312**
Perera G *see* Eddleston M *et al*
Perry A *et al.* Measuring the costs and benefits of heart disease monitoring, **651**
Petch M *see* Hildick-Smith D *et al*
Peters RJG, Bredee JJ. Indications for coronary revascularisation: guidelines for the Netherlands: *editorial*, **3**
Pethig K *et al.* Intermittent mitral valve occlusion by a mobile left atrial thrombus, **393**
Petkov V *see* Ziesche R *et al*
Petrie K *see* Horne R *et al*
Pickin DM *see* Wierzbicki AS *et al*
Piek JJ *see* Koch KT *et al*
Piepoli M *see* Davies LC *et al*
Pihkala J *see* Pedra CAC *et al*
Pilotto A *see* Arbustini E *et al*
Pinamonti B *et al.* Clinical relevance of right ventricular dysplasia/cardiomyopathy: *editorial*, **9**
Poldermans D *see* Elhendy A *et al*
Pollock J *see* McLeod KA *et al*
Ponikowski P *see* Davies LC *et al*
Poole-Wilson PA *see* Cowie MR *et al*
Popma JJ *see* von Birgelen C *et al*
Popović AD *see* Popović Z *et al*
Popović Z *et al.* Partial left ventriculectomy improves left ventricular end systolic elastance in patients with idiopathic dilated cardiomyopathy, **316**
Porcu E *see* Arbustini E *et al*
Poutanen T *et al.* Left atrial volume assessed by transthoracic three dimensional echocardiography and magnetic resonance imaging: dynamic changes during the heart cycle in children, **537**
Prech M. Mycotic aneurysm of the ascending aorta following CABG, **e3**
Préda I *see* Böhm A *et al*
Prendergast BD *et al.* Normalisation of abnormal coronary fractional flow reserve associated with myocardial bridging using an intracoronary stent, **705**
Prêtre R, Jenni R. Thrombosis of a mitral valve prosthesis, **34**
Prêtre R, Turina MI. Cardiac valve surgery in the octogenarian: *Education*, **116**
Surgical angioplasty of the left main coronary artery in non-atherosclerotic lesions, **91**
Prins MH *see* Koch KT *et al*
Proudfoot D *see* Farzaneh-Far A *et al*

Rajakanthan K *see* Eddleston M *et al*
Rajapakse S *see* Eddleston M *et al*
Ramírez A *see* Castillo JC *et al*
Ramsay LE *see* Wierzbicki AS *et al*
Ramsey M *see* Easaw J *et al*
Rankin A *see* McLeod KA *et al*
Ravn HB *see* Hjortdal VE *et al*
Ray SG *see* Burgess MI *et al*
Redington AN *see* Cheung YF *et al*
see Hsia T-Y *et al*
Redpath A *see* Perry A *et al*
Redpath TW *see* Trent RJ *et al*
Redwood SR *see* Yousef ZR *et al*
Reynolds TM *see* Wierzbicki AS *et al*
Ricci M *et al.* Good outcomes from cardiac surgery in the over 70s: *letter*, **106**
Richardson DA *see* Parry SW *et al*
Richmond S *see* Wren C *et al*
Riegger GAJ *see* Frings AM *et al*
Rimoldi O *see* Barnes E *et al*
Rinaldi CA *see* Barnes E *et al*
Ristich J *see* Heesch CM *et al*
Robert A *see* Jucquois I *et al*
Robinson K. Homocysteine, B vitamins, and risk of cardiovascular disease: *editorial*, **127**
Röder G *see* Ziesche R *et al*
Roelandt JRTC *see* Elhendy A *et al*
Roelants V *see* Jucquois I *et al*
Roffi M *et al.* Angiographic documented coronary arterial spasm in absence of critical coronary artery stenoses in a patient with variant angina episodes during exercise and dobutamine stress echocardiography, **e4**
Roussos C *see* Zakynthinos E *et al*
Ruppel R *see* Schuchert A *et al*
Ryder M *see* Pepper CB *et al*

Sabate M *see* Kay IP *et al*
Sachse A *see* Fox KM *et al*
Sadaba JR *see* Paniagua JR *et al*
Salerno TA *see* Ricci M *et al*
Salmon AP *see* Vettukattil JJ *et al*
Santarone M *et al.* Effusive–constrictive pericarditis, **556**
Sarubbi B *et al.* A pre-excitation growing up over the time , **146**
Sasaki Y *et al.* Role of endothelial cell denudation and smooth muscle cell dedifferentiation in neointimal formation of human vein grafts after coronary artery bypass grafting: therapeutic implications, **69**
Sato N *see* Kakuchi H *et al*
Satoh H *see* Terada H *et al*
Sayer JW *et al.* Autonomic dysfunction is related to impaired pancreatic β cell function in patients with coronary artery disease, **210**
Scalise F *see* Bertella M *et al*
Schaff HV *see* Nishimura RA *et al*
Schenk P *see* Ziesche R *et al*
Schneider M *see* Li J *et al*
Schofield PM *see* Clarke SC and Schofield PM
Schormann M *see* Franke A *et al*
Schuchert A *et al.* Induction of atrial fibrillation with rapid high voltage ventricular pacing for ventricular fibrillation conversion testing, **178**
Schulz C *et al.* Coronary stent symmetry and vascular injury determine experimental restenosis, **462**
Schunkert H *see* Frings AM *et al*
Schwaiger M *see* Ibrahim T
Schwartzkopff B *see* Heintzen MP *et al*
Scott AC *see* Davies LC *et al*
Seggewiss H *see* Faber L *et al*
Seghaye M-C *see* Sigler M *et al*
Seiler C *see* de Marchi SF *et al*
Sen B *see* Parry SW *et al*
Sengupta-Wiebe S *see* Bhopal R and Sengupta-Wiebe S
Senior R *see* Khattar RS *et al*
Serruys PW *see* Kay IP *et al*
see von Birgelen C *et al*
see Whelan DM *et al*
Shanahan C *see* Farzaneh-Far A *et al*
Shaper AG, Wannamethee SG. Alcohol intake and mortality in middle aged men with diagnosed coronary heart disease, **394**
Shapiro LM *see* Hildick-Smith DJR and Shapiro LM
Sharma R *see* Juneja R *et al*
Sharma S *see* Mahon NG *et al*
Shaw TRD *see* Sutaria N *et al*
Sheriff MR *see* Eddleston M *et al*
Shier R *see* Kumaran K *et al*
Shikama N *et al.* A case of rheumatoid pericarditis with high concentrations of interleukin-6 in pericardial fluid, **711**
Shimada K *see* Hojo Y *et al*
see Zhu Y *et al*
Sideris DA *see* Goudevenos JA *et al*
Siebenhofer A *see* Talwar S *et al*
Sigler M *et al.* Evaluation of in vivo biocompatibility of different devices for interventional closure of the patent ductus arteriosus in an animal model, **570**
Siles JR *see* Castillo JC *et al*
Sinagra G *see* Pinamonti B *et al*
Sinha N *see* Garg N *et al*
Sjöström L *see* Eddleston M *et al*
Slavik Z *see* Vettukattil JJ *et al*
Smith A *see* Cabana D *et al*
see Ho SY *et al*
Smith EEJ *see* Lawrence DR *et al*
Smith WCS *see* Perry A *et al*
Soar J, Absalom A. Survival after cardiac arrest outside hospital: *letter*, **103**
Soler-Soler J *see* Figueras J *et al*
Soler-Soler J, Galve E. Worldwide perspective of valve disease: *Education*, **721**
Somerville J *see* Sarubbi B *et al*
Sørensen KE *see* Hjortdal VE *et al*
Specchia G *see* Arbustini E *et al*
Spence M, Webb S. Cullen's sign after coronary angiography, **640**
Sreeram N *see* Bracke FA *et al*
Starkey IR *see* Prendergast BD *et al*
Steeds RP, Muthusamy R. Abnormal ventricular conduction following dothiepin overdose simulating acute myocardial infarction, **289**
Stein C *see* Kumaran K *et al*
Stein JI *see* Gamillscheg A *et al*
Stenbøg EV *see* Hjortdal VE *et al*
Steptoe A *et al.* Health related quality of life and psychological wellbeing in patients with dilated cardiomyopathy, **645**
Stevenson RD *see* Al-Rawas OA *et al*
Stewart RAH *see* Kay P *et al*
Stewart S *see* McMurray JJ and Stewart S
Stiebellehner L *see* Ziesche R *et al*
Stolz G *see* Kampmann C *et al*
Stopfkuchen H *see* Kampmann C *et al*
Stoschitzky K *see* Zweiker R *et al*
Stott S *see* McIlwaine L *et al*
Strauer BE *see* Heintzen MP *et al*

Struthers AD *et al.* Social deprivation increases cardiac hospitalisations in chronic heart failure independent of disease severity and diuretic non-adherence, **12**
see Lim PO *et al*
see Macfadyen RJ and Struthers AD
Suehiro S *see* Sasaki Y *et al*
Sugimura T *see* Iemura M *et al*
Sunnegårdh J *see* Nygren A *et al*
Suresh V *see* Cowie MR *et al*
Sutaria N *et al.* Long term outcome of percutaneous mitral balloon valvotomy in patients aged 70 and over, **433**
Postpartum acute MI following routine ergometrine administration treated successfully by primary PTCA, **97**
Sutton GC *see* Cowie MR *et al*
Sutton R *see* Heaven DJ *et al*
Suzuki T *et al.* Raised interleukin 6 concentrations as a predictor of postangioplasty restenosis: *letter*, **578**
Swales JD *see* Khattar RS *et al*
Swan L, Hillis WS. Exercise prescription in adults with congenital heart disease: a long way to go, **685**
Szczeklik A *see* Dimitrow PP *et al*
Székely A *see* Böhm A *et al*
Sztajzel J, Urban P. Early and late Q wave regression in the setting of acute myocardial infarction, **708**

Takeda N *see* Hiraishi S *et al*
Talwar S *et al.* Influence of hypertension, left ventricular hypertrophy, and left ventricular systolic dysfunction on plasma N terminal proBNP, **278**
Tamura M *see* Hanada A *et al*
Tan LB *see* Williams SG *et al*
Tavazzi L *see* Arbustini E *et al*
Tenczer J *see* Tomcsányi J and Tenczer J
Terada H *et al.* Multivessel coronary thrombosis, acute myocardial infarction, and no reflow in a patient with essential thrombocythaemia, **e10**
Terano T *see* Shikama N *et al*
Thambyrajah J *et al.* Abnormalities of endothelial function in patients with predialysis renal failure, **205**
Thiene G *see* Corrado D *et al*
Third Clinical European Studies in Angina and Revascularisation (CESAR 3) Investigators *see* Fox KM *et al*
Thompson SG *see* Cowie MR *et al*
Thomson JDR *et al.* Left sided valvar regurgitation in normal children and adolescents, **185**
Tijssen JGP *see* Koch KT *et al*
Tikanoja T *see* Poutanen T *et al*
Timmis A. Acute coronary syndromes: risk stratification: *Education*, **241**
see Hemingway H *et al*
Timmis AD *see* Sayer JW *et al*
Tomcsányi J, Tenczer J. Pre-excitation or post-excitation: *letter*, **585**
Topol EJ. Acute myocardial infarction: thrombolysis: *Education*, **122**
Torres F *see* Castillo JC *et al*
Townend JN *see* Neil DAH *et al*
see Pagano D *et al*
see Thambyrajah J *et al*
Treasure T *see* Lawrence DR *et al*
Trent RJ *et al.* Dobutamine magnetic resonance imaging as a predictor of myocardial functional recovery after revascularisation, **40**
Tsang VT *see* Vettukattil JJ *et al*
Tseng Y-Z *see* Lin J-L *et al*
Tsumura K *see* Nakayama Y *et al*
Tulloh RMR *see* Li J *et al*
Turina MI *see* Prêtre R and Turina MI
Tygesen H *see* Wennerblom B *et al*

Ueda M *see* Sasaki Y *et al*
Uehara A *see* Terada H *et al*
Ullrich R *see* Ziesche R *et al*
Underwood MJ *et al.* The aortic root: structure, function, and surgical reconstruction: *review*, **376**
Urban P *see* Sztajzel J and Urban P

Vahisalo R *see* Wennerblom B *et al*
Vainio P *see* Poutanen T *et al*
Valencia O *see* Lawrence DR *et al*
Valentini R *see* Bertella M *et al*
Vallès F *see* Castillo JC *et al*
van Beusekom HMM *see* Whelan DM *et al*
van de Werf F *see* Fierens C *et al*
van der Giessen W *see* Kay IP *et al*
van der Giessen WJ *see* Whelan DM *et al*
van Domburg RT *see* Elhendy A *et al*
van Gelder LM *see* Bracke FA *et al*
van Langenhove G *see* Kay IP *et al*
Vanoverschelde J-LJ *see* Jucquois I *et al*
van Vliet EA *see* Whelan DM *et al*
Vassilakopoulos T *see* Zakynthinos E *et al*
Ventak AV II DR Study Group *see* Schuchert A *et al*
Verdouw PD *see* Whelan DM *et al*
Vester EG *see* Heintzen MP *et al*
Vettukattil JJ *et al.* Intrapulmonary arteriovenous shunting may be a universal phenomenon in patients with the superior cavopulmonary anastomosis: a radionuclide study, **425**
Vijayakumar M *see* Kumaran K *et al*
Vincent R *see* Horne R *et al*
Viskin S *et al.* Arrhythmias in the congenital long QT syndrome: how often is torsade de pointes pause dependent?, **661**
Vohra A *see* Zaidi A *et al*
von Bernuth G *see* Sigler M *et al*
von Birgelen C *et al.* Preintervention lesion remodelling affects operative mechanisms of balloon optimised directional coronary atherectomy procedures: a volumetric study with three dimensional intravascular ultrasound, **192**

Wagner WR *see* Heesch CM *et al*
Wahlers T *see* Pethig K *et al*
Waiter GD *see* Trent RJ *et al*
Walker A *see* Perry A *et al*
Walton S *see* Trent RJ *et al*
Wannamethee SG *see* Shaper AG and Wannamethee SG
Ward C. Clinical significance of the bicuspid aortic valve, **81**
Wardeh AJ *see* Kay IP *et al*
Warrell DA *see* Eddleston M *et al*
Webb GD *see* Gatzoulis MA *et al*
Webb S *see* Spence M and Webb S
Wehr M *see* Wittwer T *et al*
Weinman J *see* Horne R *et al*
Weissberg P *see* Farzaneh-Far A *et al*
Weissberg PL. Atherogenesis: current understanding of the causes of atheroma: *Education*, **247**
see Coulden RA *et al*
Wennerblom B *et al.* Patients with uncomplicated coronary artery disease have reduced heart rate variability mainly affecting vagal tone, **290**
Wenzel A *see* Kampmann C *et al*
Westaby S. Non-transplant surgery for heart failure: *Education*, **603**
Wexberg P, Gottsauner-Wolf M. Intravascular radiotherapy: restenosis and more?: *editorial*, **497**
Wheatley DJ *see* Al-Rawas OA *et al*
Wheeler DC *see* Thambyrajah J *et al*
Whelan DM *et al.* Biocompatibility of phosphorylcholine coated stents in normal porcine coronary arteries, **338**
Wierzbicki AS *et al.* Cost effectiveness of statins: *letter*, **713**
Wiethoff CM *see* Kampmann C *et al*
Wilhelm CR *see* Heesch CM *et al*
Willemsen D *see* Frings AM *et al*
Williams B *see* Taiwar S *et al*
Williams SG *et al.* Management of cardiogenic shock complicating acute myocardial infarction: towards evidence based medical practice: *review*, **621**
Williams WG *see* Gatzoulis MA *et al*
Wilson N *et al.* Exclusion of a pulmonary artery aneurysm using a covered stent, **438**
Windecker S, Meier B. Intervention in coronary artery disease: *Education*, **481**
Wippermann C-F *see* Kampmann C *et al*
Wittmann K *see* Ziesche R *et al*
Wittwer T *et al.* Myocardial "hybrid" revascularisation with minimally invasive direct coronary artery bypass grafting combined with coronary angioplasty: preliminary results of a multicentre study, **58**
Wonnacott S *see* Fox KM *et al*
Wood DA *see* Cowie MR *et al*
Wren C. Ventricular pre-excitation producing resolution of complete atrioventricular block, **102**
Wren C *et al.* Sudden death in children and adolescents, **410**
Temporal variability in birth prevalence of cardiovascular malformations, **414**
Wright C *see* Wren C *et al*
Wright DJ *see* Williams SG *et al*

Yamaguchi H *see* Nakazato Y *et al*
Yamamoto K *see* Suzuki T *et al*
Yamanari H *et al.* Effects of cardiac sympathetic innervation on regional wall motion abnormality in patients with long QT syndrome, **295**
Yamazaki T *see* Suzuki T *et al*
Yang Y *see* Li Y *et al*
Yellon DM, Baxter GF. Protecting the ischaemic and reperfused myocardium in acute myocardial infarction: distant dream or near reality?: *review*, **381**
Yonan N *see* Burgess MI *et al*
Yonezawa K *see* Hanada A *et al*
Yoshimaru K *see* Nakayama Y *et al*
Yousef ZR *et al.* Postinfarction left ventricular remodelling: where are the theories and trials leading us?: *review*, **76**
Yutani C *see* Kojima S *et al*

Zaidi A *et al.* Haemodynamic effects of increasing angle of head up tilt, **181**
Zakynthinos E *et al.* Abnormal atrial and ventricular repolarisation resembling myocardial injury after tricyclic antidepressant drug intoxication, **353**
Zakynthinos S *see* Zakynthinos E *et al*
Zeltser D *see* Viskin S *et al*
Zhang H *see* Li Y *et al*
Zhu Y *et al.* Production of hepatocyte growth factor during acute myocardial infarction, **450**
Ziemssen P *see* Faber L *et al*
Ziesche R *et al.* Treatment with epoprostenol reverts nitric oxide non-responsiveness in patients with primary pulmonary hypertension, **406**
Zivanovic A *see* Vettukattil JJ *et al*
Zouridakis E *see* Garcia-Moll X *et al*
Zouridakis EG *et al.* Negative stress echocardiographic responses in normotensive and hypertensive patients with angina pectoris, positive exercise stress testing, and normal coronary arteriograms, **141**
Zweiker R *et al.* Occlusion of the left main coronary artery without myocardial infarction, **672**

VOLUME 83 • SUBJECT INDEX

abciximab, Acute severe thrombocytopenia after treatment with ReoPro (abciximab), **e5**

abrupt vessel closure, Intracoronary dipyridamole reduces the incidence of abrupt vessel closure following PTCA: a prospective randomised trial, **551**

ACE inhibition, Is there a role for renin profiling in selecting chronic heart failure patients for ACE inhibitor treatment?, **257**

acute coronary syndromes, Acute coronary syndromes: risk stratification: *Education*, **241**
Is preinfarction angina related to the presence or absence of coronary plaque rupture?, **64**
The pathophysiology of acute coronary syndromes: *Education*, **361**
Troponin T or troponin I as cardiac markers in ischaemic heart disease: *editorial*, **371**

acute myocardial infarction, Acute myocardial infarction: thrombolysis: *Education*, **122**
Exercise four hour redistribution thallium-201 SPECT and exercise induced ST segment elevation in detecting viable myocardium in patients with acute MI: *letter*, **103**
Improving the ECG classification of inferior and lateral myocardial infarction by inversion of lead aVR, **657**
Left ventricular free wall rupture: clinical presentation and management, **499**
Postpartum acute MI following routine ergometrine administration treated successfully by primary PTCA, **97**
The natural history of acute myocardial infarction: *Education*, **726**
Troponin T or troponin I as cardiac markers in ischaemic heart disease: *editorial*, **371**

adenosine, Clinical features of adenosine sensitive syncope and tilt induced vasovagal syncope, **24**

adjustment, Health related quality of life and psychological wellbeing in patients with dilated cardiomyopathy, **645**

aetiology, Epidemiology, aetiology, and prognosis of heart failure: *Education*, **596**

ALCAPA syndrome, A 72 year old woman with ALCAPA, **e2**

alcohol consumption, Alcohol intake and mortality in middle aged men with diagnosed coronary heart disease, **394**

ambulatory blood pressure, Racial variation in cardiovascular morbidity and mortality in essential hypertension, **267**

amitriptyline, Abnormal atrial and ventricular repolarisation resembling myocardial injury after tricyclic antidepressant drug intoxication, **353**

angina, Neurostimulation treatment for angina pectoris: *review*, **217**
Patients with uncomplicated coronary artery disease have reduced heart rate variability mainly affecting vagal tone, **290**
Percutaneous myocardial laser revascularisation: *editorial*, **253**
Relation between duration and intensity of first exercise and "warm up" in ischaemic heart disease, **17**

angiography, Outcome from balloon induced coronary artery dissection after intracoronary β radiation, **332**

angioplasty, Angioplasty and stenting in patients with renal disease: *editorial*, **7**
Coronary angioplasty: guidelines for good practice and training, **224**
High resolution magnetic resonance imaging of atherosclerosis and the response to balloon angioplasty, **188**
Indications for coronary revascularisation: guidelines for the Netherlands: *editorial*, **3**
Inhibition of angiotensin converting enzyme cannot prevent increases in angiotensin II production in coronary circulation, **574**
Normalisation of abnormal coronary fractional flow reserve associated with myocardial bridging using an intracoronary stent, **705**
Outcome from balloon induced coronary artery dissection after intracoronary β radiation, **332**
Raised interleukin 6 concentrations as a predictor of postangioplasty restenosis: *letter*, **578**
Triage of patients for short term observation after elective coronary angioplasty, **557**
Using guidelines for coronary revascularisation: how many are needed and are they any good?: *editorial*, **5**

angiotensin converting enzyme, Inhibition of angiotensin converting enzyme cannot prevent increases in angiotensin II production in coronary circulation, **574**

antenatal diagnosis, Antenatal diagnosis of heart disease: *Education*, **367**

antiphospholipid syndrome, Worldwide perspective of valve disease: *Education*, **721**

antivenom, On the management of scorpion stings: *letter*, **585**

aorta, Mycotic aneurysm of the ascending aorta following CABG, **e3**

aortic dissection, Evaluating aortic dissection: when is coronary angiography indicated?: *editorial*, **615**

aortic regurgitation, The aortic root: structure, function, and surgical reconstruction: *review*, **376**

aortic root, The aortic root: structure, function, and surgical reconstruction: *review*, **376**

aortic stenosis, Exercise testing, symptoms, and clinical outcome in aortic stenosis: *letter*, **105**
Surgery for aortic stenosis in severely symptomatic patients older than 80 years: experience in a single UK centre: *letter*, **583**

aortic valve disease, Clinical significance of the bicuspid aortic valve: *review*, **81**
Plasma fibrinogen, soluble P-selectin, and von Willebrand factor in aortic valve disease: evidence for abnormal haemorheology, platelet activation, and endothelial dysfunction: *letter*, **577**

aortopulmonary shunts, Interventional catheterisation. Opening up II: venous return, the atrial septum, the arterial duct, aortopulmonary shunts, and aortopulmonary collaterals: *Education*, **237**

apical asynergy, Mid-ventricular HOCM with apical asynergy, **517**

apical hypertrophic cardiomyopathy, Diagnosis of apical hypertrophic cardiomyopathy using magnetic resonance imaging, **e1**

arrhythmia, Acute yellow oleander (*Thevetia peruviana*) poisoning: cardiac arrhythmias, electrolyte disturbances, and serum cardiac glycoside concentrations on presentation to hospital, **301**

arrhythmogenic right ventricular cardiomyopathy, Arrhythmogenic right ventricular cardiomyopathy: diagnosis, prognosis, and treatment: *Education*, **588**
Clinical relevance of right ventricular dysplasia/cardiomyopathy: *editorial*, **9**

arterial compliance, Blood pressure, arterial compliance, and left ventricular mass: no relation to small size at birth in south Indian adults, **272**

arterial switch operation, Coronary arterial origins in transposition of the great arteries: factors that affect outcome. A morphological and clinical study, **320**

atherectomy, Preintervention lesion remodelling affects operative mechanisms of balloon optimised directional coronary atherectomy procedures: a volumetric study with three dimensional intravascular ultrasound, **192**

atherogenesis, Atherogenesis: current understanding of the causes of atheroma: *Education*, **247**

atherosclerosis, Abnormalities of endothelial function in patients with predialysis renal failure, **205**
Atherogenesis: current understanding of the causes of atheroma: *Education*, **247**
High resolution magnetic resonance imaging of atherosclerosis and the response to balloon angioplasty, **188**
Long term consequences of regressed coronary aneurysms after Kawasaki disease: vascular wall morphology and function, **307**
The pathophysiology of acute coronary syndromes: *Education*, **361**

atherosclerotic plaque, The pathophysiology of acute coronary syndromes: *Education*, **361**

ATP, Clinical features of adenosine sensitive syncope and tilt induced vasovagal syncope, **24**

atrial and ventricular repolarisation, Abnormal atrial and ventricular repolarisation resembling myocardial injury after tricyclic antidepressant drug intoxication, **353**

atrial arrhythmia, Is there a synergic effect of propafenone associated with atrial overdrive pacing for atrial arrhythmia prevention? A randomised crossover study, **172**

atrial burst pacing, Induction of atrial fibrillation with rapid high voltage ventricular pacing for ventricular fibrillation conversion testing, **178**

atrial fibrillation, Induction of atrial fibrillation with rapid high voltage ventricular pacing for ventricular fibrillation conversion testing, **178**
Transient appearance of antegrade conduction via an AV accessory pathway caused by atrial fibrillation in a patient with intermittent Wolff-Parkinson-White syndrome, **e8**

atrial overdrive pacing, Is there a synergic effect of propafenone associated with atrial overdrive pacing for atrial arrhythmia prevention? A randomised crossover study, **172**

atrial septal defects, Dynamic morphology of the secundum atrial septal defect evaluated by three dimensional transoesophageal echocardiography, **673**
Ventricular and atrial septal defects, and right aortic arch associated with isolation of the left innominate artery from the aorta, **99**

atriopulmonary connection, Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation: *letter*, **583**

atrioventricular block, Cystic tumour of the atrioventricular nodal region: report of a case successfully treated with surgery, **e6**
Swallow syncope associated with complete atrioventricular block and vasovagal syncope, **702**
Ventricular pre-excitation producing resolution of complete atrioventricular block, **102**

atrioventricular nodal artery, Distal end of the atrioventricular nodal artery predicts the risk of atrioventricular block during slow pathway catheter ablation of atrioventricular nodal re-entrant tachycardia, **543**

atrioventricular nodal re-entrant tachycardia, Distal end of the atrioventricular nodal artery predicts the risk of atrioventricular block during slow pathway catheter ablation of atrioventricular nodal re-entrant tachycardia, **543**
atrioventricular node, The atrioventricular junctions in Ebstein malformation, **444**
autonomic nervous system, Autonomic dysfunction is related to impaired pancreatic β cell function in patients with coronary artery disease, **210**
The Newcastle protocols for head-up tilt table testing in the diagnosis of vasovagal syncope, carotid sinus hypersensitivity, and related disorders, **564**
aviation, Flying after heart surgery: *letter,* **584**

β cell function, Autonomic dysfunction is related to impaired pancreatic β cell function in patients with coronary artery disease, **210**
balloon angioplasty, Intervention in coronary artery disease: *Education,* **481**
balloon mitral valvuloplasty, Balloon mitral valvuloplasty in the elderly: *editorial,* **374**
balloon valvotomy, Long term outcome of percutaneous mitral balloon valvotomy in patients aged 70 and over, **433**
baroreflex sensitivity, Heart rate variability and baroreflex sensitivity in idiopathic dilated cardiomyopathy, **531**
Batista procedure, Improving ventricular systolic function: simple messages from complex models: *editorial,* **614**
bicuspid aortic valve, Clinical significance of the bicuspid aortic valve: *review,* **81**
biochemical markers, BNP: soon to become a routine measure in the care of patients with heart failure?: *editorial,* **617**
biocompatibility, Biocompatibility of phosphorylcholine coated stents in normal porcine coronary arteries, **338**
Evaluation of in vivo biocompatibility of different devices for interventional closure of the patent ductus arteriosus in an animal model, **570**
birth size, Blood pressure, arterial compliance, and left ventricular mass: no relation to small size at birth in south Indian adults, **272**
blood pressure, Blood pressure, arterial compliance, and left ventricular mass: no relation to small size at birth in south Indian adults, **272**
brachytherapy, Outcome from balloon induced coronary artery dissection after intracoronary β radiation, **332**
brain natriuretic peptide, BNP: soon to become a routine measure in the care of patients with heart failure?: *editorial,* **617**
Influence of hypertension, left ventricular hypertrophy, and left ventricular systolic dysfunction on plasma N terminal proBNP, **278**
bundle branch block, The atrioventricular junctions in Ebstein malformation, **444**

C reactive protein, Production of hepatocyte growth factor during acute myocardial infarction, **450**
cardiac infarct, Dr Carey Coombs and his non-existent cardiac infarct: *letter,* **586**
cardiac arrest, Survival after cardiac arrest outside hospital: *letter,* **103**
cardiac glycosides, Acute yellow oleander (*Thevetia peruviana*) poisoning: cardiac arrhythmias, electrolyte disturbances, and serum cardiac glycoside concentrations on presentation to hospital, **301**
cardiac surgery, Flying after heart surgery: *letter,* **584**
cardiac tamponade, A case of rheumatoid pericarditis with high concentrations of interleukin-6 in pericardial fluid, **711**
cardiac valve disease, Worldwide perspective of valve disease: *Education,* **721**
***Cardiobacterium hominis*,** Late aortic homograft valve endocarditis caused by *Cardiobacterium hominis*: a case report and review of the literature, **579**
cardiogenic shock, Management of cardiogenic shock complicating acute myocardial infarction: towards evidence based medical practice: *review,* **621**
cardiomyopathy, Abnormal cardiopulmonary exercise variables in asymptomatic relatives of patients with dilated cardiomyopathy who have left ventricular enlargement, **511**
Five years of percutaneous transluminal septal myocardial ablation: *editorial,* **255**
Heart rate variability and baroreflex sensitivity in idiopathic dilated cardiomyopathy, **531**
High prevalence of enteroviral genomic sequences in myocardium from cases of endemic cardiomyopathy (Keshan disease) in China, **696**
The cardiomyopathies: an overview: *Education,* **469**
cardioprotection, Protecting the ischaemic and reperfused myocardium in acute myocardial infarction: distant dream or near reality?: *review,* **381**
cardiopulmonary exercise testing, Chronic heart failure in the elderly: value of cardiopulmonary exercise testing in risk stratification, **147**
cardiovascular intervention procedures, Coronary angioplasty: guidelines for good practice and training, **224**
cardiovascular risk factors/outcomes, Cardiovascular risks and outcomes: ethnic variations in hypertensive patients: *editorial,* **495**
cardiovascular system, Recreational drug misuse: issues for the cardiologist: *review,* **627**
carotid sinus, Diagnosis of carotid sinus hypersensitivity in older adults: carotid sinus massage in the upright position is essential, **22**
catheter ablation, Distal end of the atrioventricular nodal artery predicts the risk of atrioventricular block during slow pathway catheter ablation of atrioventricular nodal re-entrant tachycardia, **543**
Five years of percutaneous transluminal septal myocardial ablation: *editorial,* **255**
catheter technique, Evaluation of in vivo biocompatibility of different devices for interventional closure of the patent ductus arteriosus in an animal model, **570**
causes of atheroma, Atherogenesis: current understanding of the causes of atheroma: *Education,* **247**
cavopulmonary anastomosis, Intrapulmonary arteriovenous shunting may be a universal phenomenon in patients with the superior cavopulmonary anastomosis: a radionuclide study, **425**
cavopulmonary connection, Neurohormonal activation late after cavopulmonary connection, **439**
cavopulmonary shunt, Definitive palliation with cavopulmonary or aortopulmonary shunts for adults with single ventricle physiology, **51**
chemiluminescence, Influence of hypertension, left ventricular hypertrophy, and left ventricular systolic dysfunction on plasma N terminal proBNP, **278**
children, Left atrial volume assessed by transthoracic three dimensional echocardiography and magnetic resonance imaging: dynamic changes during the heart cycle in children, **537**
cholesterol, Cost effectiveness of statins: *letter,* **713**
chronic heart failure, Chronic heart failure in the elderly: value of cardiopulmonary exercise testing in risk stratification, **147**
Dissociation between muscle metabolism and oxygen kinetics during recovery from exercise in patients with chronic heart failure, **161**
Is there a role for renin profiling in selecting chronic heart failure patients for ACE inhibitor treatment?, **257**
Social deprivation increases cardiac hospitalisations in chronic heart failure independent of disease severity and diuretic non-adherence, **12**
chymase, Inhibition of angiotensin converting enzyme cannot prevent increases in angiotensin II production in coronary circulation, **574**
coatings, Biocompatibility of phosphorylcholine coated stents in normal porcine coronary arteries, **338**
cocaine, Cocaine activates platelets and increases the formation of circulating platelet containing microaggregates in humans, **688**
cohort studies, Cardiovascular risks and outcomes: ethnic variations in hypertensive patients: *editorial,* **495**
congenital heart defects, Antegrade transcatheter closure of coronary artery fistulae using vascular occlusion devices, **94**
Antenatal diagnosis of heart disease: *Education,* **367**
Coronary arterial origins in transposition of the great arteries: factors that affect outcome. A morphological and clinical study, **320**
Definitive palliation with cavopulmonary or aortopulmonary shunts for adults with single ventricle physiology, **51**
Dynamic morphology of the secundum atrial septal defect evaluated by three dimensional transoesophageal echocardiography, **673**
Evaluation of in vivo biocompatibility of different devices for interventional closure of the patent ductus arteriosus in an animal model, **570**
Exercise prescription in adults with congenital heart disease: a long way to go, **685**
Interventional catheterisation. Opening up I: the ventricular outflow tracts and great arteries: *Education,* **111**
Interventional catheterisation. Opening up II: venous return, the atrial septum, the arterial duct, aortopulmonary shunts, and aortopulmonary collaterals: *Education,* **237**
Intrapulmonary arteriovenous shunting may be a universal phenomenon in patients with the superior cavopulmonary anastomosis: a radionuclide study, **425**
Neurohormonal activation late after cavopulmonary connection, **439**
Preoperative evaluation and surgery in isolated ventricular septal defects: a 21 year perspective, **198**
Surgical angioplasty of the left main coronary artery in non-atherosclerotic lesions, **91**
Temporal variability in birth prevalence of cardiovascular malformations, **414**
Ventricular and atrial septal defects, and right aortic arch associated with isolation of the left innominate artery from the aorta, **99**
congenital long QT syndrome, Arrhythmias in the congenital long QT syndrome: how often is torsade de pointes pause dependent?, **661**
continuing professional development, Education in *Heart*: *editorial,* **110**
coronary anatomy, Comparative coronary anatomy in six twin pairs with coronary artery disease, **47**
coronary aneurysm, Long term consequences of regressed coronary aneurysms after Kawasaki disease: vascular wall morphology and function, **307**

coronary angiography, Evaluating aortic dissection: when is coronary angiography indicated?: *editorial,* **615**
Radial coronary angiography and stenting: *letter,* **584**
coronary angioplasty, Coronary angioplasty is like going to the dentist: *editorial,* **491**
coronary arteries, Coronary arterial origins in transposition of the great arteries: factors that affect outcome. A morphological and clinical study, **320**
Multivessel coronary thrombosis, acute myocardial infarction, and no reflow in a patient with essential thrombocythaemia, **e10**
Outcome from balloon induced coronary artery dissection after intracoronary β radiation, **332**
coronary artery anatomy, Coronary arteries from a single coronary ostium in the right coronary sinus: a previously unreported anatomy, **e9**
coronary artery aneurysm, Transthoracic ultrasonic visualisation of coronary aneurysm, stenosis, and occlusion in Kawasaki disease, **400**
coronary artery bypass surgery, Coronary angioplasty: guidelines for good practice and training, **224**
Dobutamine magnetic resonance imaging as a predictor of myocardial functional recovery after revascularisation, **40**
Indications for coronary revascularisation: guidelines for the Netherlands: *editorial,* **3**
Management of cardiogenic shock complicating acute myocardial infarction: towards evidence based medical practice: *review,* **621**
Using guidelines for coronary revascularisation: how many are needed and are they any good?: *editorial,* **5**
coronary artery disease, Alcohol intake and mortality in middle aged men with diagnosed coronary heart disease, **394**
Epidemiology, aetiology, and prognosis of heart failure: *Education,* **596**
Hibernating myocardium: morphological correlates of inotropic stimulation and glucose uptake, **456**
Increased serum neopterin: a marker of coronary artery disease activity in women, **346**
Intravascular radiotherapy: restenosis and more?: *editorial,* **497**
Non-contrast second harmonic imaging improves interobserver agreement and accuracy of dobutamine stress echocardiography in patients with impaired image quality, **133**
Patients with uncomplicated coronary artery disease have reduced heart rate variability mainly affecting vagal tone, **290**
Preintervention lesion remodelling affects operative mechanisms of balloon optimised directional coronary atherectomy procedures: a volumetric study with three dimensional intravascular ultrasound, **192**
Second harmonic imaging: a new tune for an old fiddle?: *editorial,* **131**
The grade of worsening of regional function during dobutamine stress echocardiography predicts the extent of myocardial perfusion abnormalities, **35**
coronary artery fistula, Antegrade transcatheter closure of coronary artery fistulae using vascular occlusion devices, **94**
coronary artery stenosis, Transthoracic ultrasonic visualisation of coronary aneurysm, stenosis, and occlusion in Kawasaki disease, **400**
coronary blood flow velocity, Effect of verapamil on systolic and diastolic coronary blood flow velocity in asymptomatic and mildly symptomatic patients with hypertrophic cardiomyopathy, **262**
coronary flow reserve, Normalisation of abnormal coronary fractional flow reserve associated with myocardial bridging using an intracoronary stent, **705**
coronary lesions, Comparative coronary anatomy in six twin pairs with coronary artery disease, **47**
coronary revascularisation, Intervention in coronary artery disease: *Education,* **481**
Management of cardiogenic shock complicating acute myocardial infarction: towards evidence based medical practice: *review,* **621**
Non-transplant surgery for heart failure: *Education,* **603**
coronary spasm, Angiographic documented coronary arterial spasm in absence of critical coronary artery stenoses in a patient with variant angina episodes during exercise and dobutamine stress echocardiography, **e4**
coronary thrombosis, Dr Carey Coombs and his non-existent cardiac infarct: *letter,* **586**
coronary vessel anomalies, A 72 year old woman with ALCAPA, **e2**
coxsackievirus, High prevalence of enteroviral genomic sequences in myocardium from cases of endemic cardiomyopathy (Keshan disease) in China, **696**
cyanosis, Definitive palliation with cavopulmonary or aortopulmonary shunts for adults with single ventricle physiology, **51**
cystic tumour, Cystic tumour of the atrioventricular nodal region: report of a case successfully treated with surgery, **e6**
cytokines, Production of hepatocyte growth factor during acute myocardial infarction, **450**

degenerative valve disease, Worldwide perspective of valve disease: *Education,* **721**
delayed diagnosis, Patients' interpretation of symptoms as a cause of delay in reaching hospital during acute myocardial infarction, **388**
depolarisation/repolarisation abnormalities, Arrhythmogenic right ventricular cardiomyopathy: diagnosis, prognosis, and treatment: *Education,* **588**
diabetes mellitus, Autonomic dysfunction is related to impaired pancreatic β cell function in patients with coronary artery disease, **210**
diagnosis, Abnormal cardiopulmonary exercise variables in asymptomatic relatives of patients with dilated cardiomyopathy who have left ventricular enlargement, **511**
diagnostic measures, Preoperative evaluation and surgery in isolated ventricular septal defects: a 21 year perspective, **198**
diastolic function, Relaxation in hypertrophic cardiomyopathy and hypertensive heart disease: relations between hypertrophy and diastolic function, **678**
Serial assessment of left ventricular diastolic function after Fontan procedure, **420**
diastolic left ventricular failure, Surgery for aortic stenosis in severely symptomatic patients older than 80 years: experience in a single UK centre: *letter,* **583**
diffusing capacity, The alveolar-capillary membrane diffusing capacity and the pulmonary capillary blood volume in heart transplant candidates, **156**
dilated cardiomyopathy, Health related quality of life and psychological wellbeing in patients with dilated cardiomyopathy, **645**
Partial left ventriculectomy improves left ventricular end systolic elastance in patients with idiopathic dilated cardiomyopathy, **316**
The cardiomyopathies: an overview: *Education,* **469**
dipyridamole, Intracoronary dipyridamole reduces the incidence of abrupt vessel closure following PTCA: a prospective randomised trial, **551**
dissection, Outcome from balloon induced coronary artery dissection after intracoronary β radiation, **332**
diuretics, Diuretic use and abuse in systolic cardiac failure: a recipe for renal impairment?: *letter,* **468**
dobutamine, Dobutamine magnetic resonance imaging as a predictor of myocardial functional recovery after revascularisation, **40**
Prolonged left ventricular dysfunction occurs in patients with coronary artery disease after both dobutamine and exercise induced myocardial ischaemia, **283**
dobutamine stress echocardiography, Angiographic documented coronary arterial spasm in absence of critical coronary artery stenoses in a patient with variant angina episodes during exercise and dobutamine stress echocardiography, **e4**
Negative stress echocardiographic responses in normotensive and hypertensive patients with angina pectoris, positive exercise stress testing, and normal coronary arteriograms, **141**
Non-contrast second harmonic imaging improves interobserver agreement and accuracy of dobutamine stress echocardiography in patients with impaired image quality, **133**
Second harmonic imaging: a new tune for an old fiddle?: *editorial,* **131**
dual chamber implantable cardioverter-defibrillator, Induction of atrial fibrillation with rapid high voltage ventricular pacing for ventricular fibrillation conversion testing, **178**
dual chamber pacing, Is there a synergic effect of propafenone associated with atrial overdrive pacing for atrial arrhythmia prevention? A randomised crossover study, **172**

Ebstein's anomaly, The atrioventricular junctions in Ebstein malformation, **444**
echocardiography, Assessment of left ventricular systolic function in research and in clinical practice: *editorial,* **493**
Dynamic morphology of the secundum atrial septal defect evaluated by three dimensional transoesophageal echocardiography, **673**
Normal values of M mode echocardiographic measurements of more than 2000 healthy infants and children in central Europe, **667**
Platypnoea–orthodeoxia syndrome, **221**
Prolonged left ventricular dysfunction occurs in patients with coronary artery disease after both dobutamine and exercise induced myocardial ischaemia, **283**
The grade of worsening of regional function during dobutamine stress echocardiography predicts the extent of myocardial perfusion abnormalities, **35**
Transthoracic ultrasonic visualisation of coronary aneurysm, stenosis, and occlusion in Kawasaki disease, **400**
Value of echocardiography in predicting long term outcome after heart transplantation: *letter,* **105**
echocardiography anatomy, Coronary arterial origins in transposition of the great arteries: factors that affect outcome. A morphological and clinical study, **320**
education, Education in *Heart* : *editorial,* **110**
eHeart, *Heart* in the 21st century: *editorial,* **1**
elastance, Partial left ventriculectomy improves left ventricular end systolic elastance in patients with idiopathic dilated cardiomyopathy, **316**
elderly patients, Balloon mitral valvuloplasty in the elderly: *editorial,* **374**
Cardiac valve surgery in the octogenarian: *Education,* **116**

Chronic heart failure in the elderly: value of cardiopulmonary exercise testing in risk stratification, **147**
Diagnosis of carotid sinus hypersensitivity in older adults: carotid sinus massage in the upright position is essential, **22**
Good outcomes from cardiac surgery in the over 70s: *letter*, **106**
Long term outcome of percutaneous mitral balloon valvotomy in patients aged 70 and over, **433**
electrical remodelling, Transient appearance of antegrade conduction via an AV accessory pathway caused by atrial fibrillation in a patient with intermittent Wolff-Parkinson-White syndrome, **e8**
electrocardiography, Improving the ECG classification of inferior and lateral myocardial infarction by inversion of lead aVR, **657**
Technician run open access exercise electrocardiography: *letter*, **714**
electrophysiological study, Swallow syncope associated with complete atrioventricular block and vasovagal syncope, **702**
end stage renal disease, Mobile intracardiac calcinosis: risk of thromboembolism in patients with haemodialysed end stage renal disease: *letter*, **582**
endocarditis, Late aortic homograft valve endocarditis caused by *Cardiobacterium hominis*: a case report and review of the literature, **579**
endothelial function, Abnormalities of endothelial function in patients with predialysis renal failure, **205**
enterovirus, Enteroviral infection causing fatal myocarditis and subclinical myopathy, **86**
High prevalence of enteroviral genomic sequences in myocardium from cases of endemic cardiomyopathy (Keshan disease) in China, **696**
envenomation, On the management of scorpion stings: *letter*, **585**
epicardial pacing, Temporary cardiac pacing: *Education*, **715**
epidemiology, Epidemiology, aetiology, and prognosis of heart failure: *Education*, **596**
Survival of patients with a new diagnosis of heart failure: a population based study, **505**
Temporal variability in birth prevalence of cardiovascular malformations, **414**
Ventricular pre-excitation in the general population: a study on the mode of presentation and clinical course, **29**
epoprostenol, Treatment with epoprostenol reverts nitric oxide non-responsiveness in patients with primary pulmonary hypertension, **406**
ergot alkaloid heart disease, Worldwide perspective of valve disease: *Education*, **721**
essential thrombocythaemia, Multivessel coronary thrombosis, acute myocardial infarction, and no reflow in a patient with essential thrombocythaemia, **e10**
ethnic groups, Cardiovascular risks and outcomes: ethnic variations in hypertensive patients: *editorial*, **495**
evidence based practice, Indications for coronary revascularisation: guidelines for the Netherlands: *editorial*, **3**
Using guidelines for coronary revascularisation: how many are needed and are they any good?: *editorial*, **5**
excision, Cystic tumour of the atrioventricular nodal region: report of a case successfully treated with surgery, **e6**
exercise, Abnormal cardiopulmonary exercise variables in asymptomatic relatives of patients with dilated cardiomyopathy who have left ventricular enlargement, **511**
Prolonged left ventricular dysfunction occurs in patients with coronary artery disease after both dobutamine and exercise induced myocardial ischaemia, **283**
Relation between duration and intensity of first exercise and "warm up" in ischaemic heart disease, **17**
Technician run open access exercise electrocardiography: *letter*, **714**
exercise induced ST elevation, Exercise four hour redistribution thallium-201 SPECT and exercise induced ST segment elevation in detecting viable myocardium in patients with acute MI: *letter*, **103**
exercise prescription, Exercise prescription in adults with congenital heart disease: a long way to go, **685**
exercise testing, Angiographic documented coronary arterial spasm in absence of critical coronary artery stenoses in a patient with variant angina episodes during exercise and dobutamine stress echocardiography, **e4**
Exercise testing, symptoms, and clinical outcome in aortic stenosis: *letter*, **105**
exercise thallium-201 SPECT, Exercise four hour redistribution thallium-201 SPECT and exercise induced ST segment elevation in detecting viable myocardium in patients with acute MI: *letter*, **103**
exercise tolerance, Dissociation between muscle metabolism and oxygen kinetics during recovery from exercise in patients with chronic heart failure, **161**

^{18}F labelled fluorodeoxyglucose, Positron emission tomography and myocardial imaging: *Education*, **475**
fatty infiltration of the right ventricle, Clinical relevance of right ventricular dysplasia/cardiomyopathy: *editorial*, **9**
fenfluramine, Worldwide perspective of valve disease: *Education*, **721**
fetal heart ultrasound scanning, Antenatal diagnosis of heart disease: *Education*, **367**
fibromuscular dysplasia, Sudden death and regional left ventricular fibrosis with fibromuscular dysplasia of small intramyocardial coronary arteries, **101**
flow cytometry, Cocaine activates platelets and increases the formation of circulating platelet containing microaggregates in humans, **688**
flow mediated dilatation, Abnormalities of endothelial function in patients with predialysis renal failure, **205**
Fontan circulation, Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation: *letter*, **583**
Fontan procedure, Definitive palliation with cavopulmonary or aortopulmonary shunts for adults with single ventricle physiology, **51**
Serial assessment of left ventricular diastolic function after Fontan procedure, **420**

guidelines, Coronary angioplasty: guidelines for good practice and training, **224**
Indications for coronary revascularisation: guidelines for the Netherlands: *editorial*, **3**
The Newcastle protocols for head-up tilt table testing in the diagnosis of vasovagal syncope, carotid sinus hypersensitivity, and related disorders, **564**
Using guidelines for coronary revascularisation: how many are needed and are they any good?: *editorial*, **5**

head up tilt test, Clinical features of adenosine sensitive syncope and tilt induced vasovagal syncope, **24**
Haemodynamic effects of increasing angle of head up tilt, **181**
Swallow syncope associated with complete atrioventricular block and vasovagal syncope, **702**
health status, The left ventricular dysfunction questionnaire (LVD-36): reliability, validity, and responsiveness, **634**
heart block, Distal end of the atrioventricular nodal artery predicts the risk of atrioventricular block during slow pathway catheter ablation of atrioventricular nodal re-entrant tachycardia, **543**
heart failure, Arrhythmogenic right ventricular cardiomyopathy: diagnosis, prognosis, and treatment: *Education*, **588**
BNP: soon to become a routine measure in the care of patients with heart failure?: *editorial*, **617**
Diuretic use and abuse in systolic cardiac failure: a recipe for renal impairment?: *letter*, **468**
Epidemiology, aetiology, and prognosis of heart failure: *Education*, **596**
Hibernating myocardium: morphological correlates of inotropic stimulation and glucose uptake, **456**
Non-transplant surgery for heart failure: *Education*, **603**
"Apparent" heart failure: a syndrome caused by renal artery stenoses, **152**
Postinfarction left ventricular remodelling: where are the theories and trials leading us?: *review*, **76**
Survival of patients with a new diagnosis of heart failure: a population based study, **505**
The alveolar-capillary membrane diffusing capacity and the pulmonary capillary blood volume in heart transplant candidates, **156**
The left ventricular dysfunction questionnaire (LVD-36): reliability, validity, and responsiveness, **634**
Value of echocardiography in predicting long term outcome after heart transplantation: *letter*, **105**
heart rate variability, Heart rate variability and baroreflex sensitivity in idiopathic dilated cardiomyopathy, **531**
Patients with uncomplicated coronary artery disease have reduced heart rate variability mainly affecting vagal tone, **290**
hepatocyte growth factor, Production of hepatocyte growth factor during acute myocardial infarction, **450**
high voltage ventricular pacing, Induction of atrial fibrillation with rapid high voltage ventricular pacing for ventricular fibrillation conversion testing, **178**
histiocytoid cardiomyopathy, Histiocytoid cardiomyopathy presenting with Wolff-Parkinson-White syndrome, **98**
histopathology, Sudden death and regional left ventricular fibrosis with fibromuscular dysplasia of small intramyocardial coronary arteries, **101**
homocysteine, Homocysteine, B vitamins, and risk of cardiovascular disease: *editorial*, **127**
hospitalisations, Social deprivation increases cardiac hospitalisations in chronic heart failure independent of disease severity and diuretic non-adherence, **12**
hybrid revascularisation, Myocardial "hybrid" revascularisation with minimally invasive direct coronary artery bypass grafting combined with coronary angioplasty: preliminary results of a multicentre study, **58**
hypertension, Cardiovascular risks and outcomes: ethnic variations in hypertensive patients: *editorial*, **495**
Influence of hypertension, left ventricular hypertrophy, and left ventricular systolic dysfunction on plasma N terminal proBNP, **278**
Negative stress echocardiographic responses in normotensive and hypertensive patients with angina pectoris, positive exercise stress testing, and normal coronary arteriograms, **141**
Racial variation in cardiovascular morbidity and mortality in essential hypertension, **267**

Relaxation in hypertrophic cardiomyopathy and hypertensive heart disease: relations between hypertrophy and diastolic function, **678**
hypertrophic cardiomyopathy, Effect of verapamil on systolic and diastolic coronary blood flow velocity in asymptomatic and mildly symptomatic patients with hypertrophic cardiomyopathy, **262**
Left ventricular opacification during selective intracoronary injection of echocardiographic contrast in patients with hypertrophic cardiomyopathy, **e7**
Mid-ventricular HOCM with apical asynergy, **517**
Percutaneous transluminal septal myocardial ablation for hypertrophic obstructive cardiomyopathy: long term follow up of the first series of 25 patients, **326**
Relaxation in hypertrophic cardiomyopathy and hypertensive heart disease: relations between hypertrophy and diastolic function, **678**
The cardiomyopathies: an overview: *Education,* **469**
hypertrophy, Five years of percutaneous transluminal septal myocardial ablation: *editorial,* **255**

iatrogenic pseudoaneurysms, Ultrasound guided percutaneous thrombin injection for the treatment of iatrogenic pseudoaneurysms: *letter,* **582**
Images in cardiology, A pre-excitation growing up over the time, **146**
Abnormal ventricular conduction following dothiepin overdose simulating acute myocardial infarction, **289**
Aortic valve tumour trapped in the right coronary ostium, **184**
Candle flame appearance in dissection of aorta, **387**
Continuous murmur thorough atrial septal defect, **613**
Coronary artery fistula dependent systemic perfusion, **712**
Cullen's sign after coronary angiography, **640**
Echocardiographic features of cardiac involvement in Fabry's disease, **695**
Effusive–constrictive pericarditis, **556**
Exclusion of a pulmonary artery aneurysm using a covered stent, **438**
Fatal unruptured myocardial abscesses, **498**
Growth and the implantable cardioverter defibrillator, **277**
Giant coronary sinus and absent right superior vena cava, **704**
Intermittent mitral valve occlusion by a mobile left atrial thrombus, **393**
Metastatic renal cell cancer detected by transoesophageal echocardiography, **710**
Occlusion of the left main coronary artery without myocardial infarction, **672**
Onset and termination of atrial fibrillation, **587**
Perivalvar abscess of the mitral valve annulus with perforation owing to infective endocarditis, **261**
Postcoarctation giant aneurysm of aorta, **432**
Potentially fatal atrial pacemaker lead disruption detected by fluoroscopic surveillance, **563**
ST segment elevation in the precordial leads mimicking Brugada syndrome, **216**
Strangulated gastric volvulus: an unusual cause of cardiac compression resulting in electromechanical dissociation, **550**
Thrombosis of a mitral valve prosthesis, **34**
Traumatic aortopulmonary fistula: echocardiographic appearance, **16**
Ventricular fibrillation provoked by cardioversion and asynchronous pacing, **424**
Ventricular pacing and right bundle branch block morphology: diagnosis and management, **666**
imaging, Myocardial stunning after streptokinase: what is the significance of the Q wave?, **e11**
implantable cardioverter-defibrillator, Antiarrhythmic management and implantable defibrillator use in survivors of pre-hospital cardiac arrest without myocardial infarction in West Yorkshire, **312**
infancy, Temporal variability in birth prevalence of cardiovascular malformations, **414**
infective endocarditis, Long term outcome of infective endocarditis in patients who were not drug addicts: a 10 year study, **525**
in-hospital myocardial infarction, The natural history of acute myocardial infarction: *Education,* **726**
intensive care, Parsonnet score is a good predictor of the duration of intensive care unit stay following cardiac surgery, **429**
interleukin 6, A case of rheumatoid pericarditis with high concentrations of interleukin-6 in pericardial fluid, **711**
Raised interleukin 6 concentrations as a predictor of postangioplasty restenosis: *letter,* **578**
interobserver agreement, Non-contrast second harmonic imaging improves interobserver agreement and accuracy of dobutamine stress echocardiography in patients with impaired image quality, **133**
interventional cardiology, Acute severe thrombocytopenia after treatment with ReoPro (abciximab), **e5**
Antegrade transcatheter closure of coronary artery fistulae using vascular occlusion devices, **94**
Coronary stent symmetry and vascular injury determine experimental restenosis, **462**
Five years of percutaneous transluminal septal myocardial ablation: *editorial,* **255**
Interventional catheterisation. Opening up I: the ventricular outflow tracts and great arteries: *Education,* **111**
Interventional catheterisation. Opening up II: venous return, the atrial septum, the arterial duct, aortopulmonary shunts, and aortopulmonary collaterals: *Education,* **237**
Myocardial "hybrid" revascularisation with minimally invasive direct coronary artery bypass grafting combined with coronary angioplasty: preliminary results of a multicentre study, **58**
Triage of patients for short term observation after elective coronary angioplasty, **557**
intracardiac shunt, Platypnoea–orthodeoxia syndrome, **221**
intravascular radiotherapy, Intravascular radiotherapy: restenosis and more?: *editorial,* **497**
intravascular ultrasound, Long term consequences of regressed coronary aneurysms after Kawasaki disease: vascular wall morphology and function, **307**
Outcome from balloon induced coronary artery dissection after intracoronary β radiation, **332**
Preintervention lesion remodelling affects operative mechanisms of balloon optimised directional coronary atherectomy procedures: a volumetric study with three dimensional intravascular ultrasound, **192**
ischaemic heart disease, Angioplasty and stenting in patients with renal disease: *editorial,* **7**
Autonomic dysfunction is related to impaired pancreatic β cell function in patients with coronary artery disease, **210**
Measuring the health related quality of life of people with ischaemic heart disease, **641**
Production of hepatocyte growth factor during acute myocardial infarction, **450**
ischaemic myocardium, Protecting the ischaemic and reperfused myocardium in acute myocardial infarction: distant dream or near reality?: *review,* **381**
isovolumetric relaxation, Relaxation in hypertrophic cardiomyopathy and hypertensive heart disease: relations between hypertrophy and diastolic function, **678**

Kawasaki disease, Long term consequences of regressed coronary aneurysms after Kawasaki disease: vascular wall morphology and function, **307**
Transthoracic ultrasonic visualisation of coronary aneurysm, stenosis, and occlusion in Kawasaki disease, **400**
Keshan disease, High prevalence of enteroviral genomic sequences in myocardium from cases of endemic cardiomyopathy (Keshan disease) in China, **696**
kidney dialysis, Angioplasty and stenting in patients with renal disease: *editorial,* **7**

laser sheath, Exchange of pacing or defibrillator leads following laser sheath extraction of non-functional leads in patients with ipsilateral obstructed venous access, **e12**
lead extraction, Exchange of pacing or defibrillator leads following laser sheath extraction of non-functional leads in patients with ipsilateral obstructed venous access, **e12**
left atrial volume, Left atrial volume assessed by transthoracic three dimensional echocardiography and magnetic resonance imaging: dynamic changes during the heart cycle in children, **537**
left sided valvar regurgitation, Left sided valvar regurgitation in normal children and adolescents, **185**
left ventricle, The cardiomyopathies: an overview: *Education,* **469**
left ventricular dysfunction, The left ventricular dysfunction questionnaire (LVD-36): reliability, validity, and responsiveness, **634**
left ventricular hypertrophy, Influence of hypertension, left ventricular hypertrophy, and left ventricular systolic dysfunction on plasma N terminal proBNP, **278**
left ventricular mass, Blood pressure, arterial compliance, and left ventricular mass: no relation to small size at birth in south Indian adults, **272**
left ventricular outflow tract gradient, Percutaneous transluminal septal myocardial ablation for hypertrophic obstructive cardiomyopathy: long term follow up of the first series of 25 patients, **326**
left ventricular restoration, Non-transplant surgery for heart failure: *Education,* **603**
left ventricular systolic dysfunction, Epidemiology, aetiology, and prognosis of heart failure: *Education,* **596**
Influence of hypertension, left ventricular hypertrophy, and left ventricular systolic dysfunction on plasma N terminal proBNP, **278**
left ventricular systolic function, Assessment of left ventricular systolic function in research and in clinical practice: *editorial,* **493**
length of hospital stay, Parsonnet score is a good predictor of the duration of intensive care unit stay following cardiac surgery, **429**
lipid lowering drugs, Lipid lowering drugs for patients who continue to smoke?: *editorial,* **619**
long QT syndrome, Arrhythmias in the congenital long QT syndrome: how often is torsade de pointes pause dependent?, **661**
Effects of cardiac sympathetic innervation on regional wall motion abnormality in patients with long QT syndrome, **295**

M J Davies, Professor M J Davies, Editor *Heart* 1992–99: *editorial,* **2**
magnetic resonance imaging, Diagnosis of apical hypertrophic cardiomyopathy using magnetic resonance imaging, **e1**

Dobutamine magnetic resonance imaging as a predictor of myocardial functional recovery after revascularisation, **40**
High resolution magnetic resonance imaging of atherosclerosis and the response to balloon angioplasty, **188**
Left atrial volume assessed by transthoracic three dimensional echocardiography and magnetic resonance imaging: dynamic changes during the heart cycle in children, **537**
mechanical blood pumps, Non-transplant surgery for heart failure: *Education*, **603**
microvascular angina, Negative stress echocardiographic responses in normotensive and hypertensive patients with angina pectoris, positive exercise stress testing, and normal coronary arteriograms, **141**
millennium, *Heart* in the 21st century: *editorial*, **1**
minimally invasive cardiac surgery, Myocardial "hybrid" revascularisation with minimally invasive direct coronary artery bypass grafting combined with coronary angioplasty: preliminary results of a multicentre study, **58**
mitral regurgitation, Non-transplant surgery for heart failure: *Education*, **603**
mitral valve stenosis, Long term outcome of percutaneous mitral balloon valvotomy in patients aged 70 and over, **433**
mobile intracardiac calcinosis, Mobile intracardiac calcinosis: risk of thromboembolism in patients with haemodialysed end stage renal disease: *letter*, **582**
monitoring, Measuring the costs and benefits of heart disease monitoring, **651**
mortality risk, Alcohol intake and mortality in middle aged men with diagnosed coronary heart disease, **394**
multivessel revascularisation, Myocardial "hybrid" revascularisation with minimally invasive direct coronary artery bypass grafting combined with coronary angioplasty: preliminary results of a multicentre study, **58**
mycotic aneurysm, Mycotic aneurysm of the ascending aorta following CABG, **e3**
myocardial blood flow, Hibernating myocardium: morphological correlates of inotropic stimulation and glucose uptake, **456**
myocardial bridge, Normalisation of abnormal coronary fractional flow reserve associated with myocardial bridging using an intracoronary stent, **705**
myocardial contrast echocardiography, Comparison of myocardial contrast echocardiography with NC100100 and ^{99m}Tc sestamibi SPECT for detection of resting myocardial perfusion abnormalities in patients with previous myocardial infarction, **518**
Percutaneous transluminal septal myocardial ablation for hypertrophic obstructive cardiomyopathy: long term follow up of the first series of 25 patients, **326**
myocardial imaging, Positron emission tomography and myocardial imaging: *Education*, **475**
myocardial infarction, Cocaine activates platelets and increases the formation of circulating platelet containing microaggregates in humans, **688**
Early and late Q wave regression in the setting of acute myocardial infarction, **708**
Management of cardiogenic shock complicating acute myocardial infarction: towards evidence based medical practice: *review*, **621**
Patients' interpretation of symptoms as a cause of delay in reaching hospital during acute myocardial infarction, **388**
Patients with uncomplicated coronary artery disease have reduced heart rate variability mainly affecting vagal tone, **290**
Postinfarction left ventricular remodelling: where are the theories and trials leading us?: *review*, **76**
Protecting the ischaemic and reperfused myocardium in acute myocardial infarction: distant dream or near reality?: *review*, **381**
Quality of life four years after myocardial infarction: short form 36 scores compared with a normal population: *letter*, **104**
The case for an aggressive surgical approach to papillary muscle rupture following myocardial infarction: "From paradise lost to paradise regained": *editorial*, **611**
myocardial perfusion, The grade of worsening of regional function during dobutamine stress echocardiography predicts the extent of myocardial perfusion abnormalities, **35**
myocardial perfusion imaging, Myocardial perfusion imaging: *Education*, **355**
myocardial stunning, Myocardial stunning after streptokinase: what is the significance of the Q wave?, **e11**
Prolonged left ventricular dysfunction occurs in patients with coronary artery disease after both dobutamine and exercise induced myocardial ischaemia, **283**
myocardial viability, Hibernating myocardium: morphological correlates of inotropic stimulation and glucose uptake, **456**
myocarditis, Enteroviral infection causing fatal myocarditis and subclinical myopathy, **86**
myocyte, The cardiomyopathies: an overview: *Education*, **469**

NC100100, Comparison of myocardial contrast echocardiography with NC100100 and ^{99m}Tc sestamibi SPECT for detection of resting myocardial perfusion abnormalities in patients with previous myocardial infarction, **518**
near-infrared spectroscopy, Dissociation between muscle metabolism and oxygen kinetics during recovery from exercise in patients with chronic heart failure, **161**
necropsy, Sudden death in children and adolescents, **410**
neopterin, Increased serum neopterin: a marker of coronary artery disease activity in women, **346**
neurohormones, Neurohormonal activation late after cavopulmonary connection, **439**
neurostimulation, Neurostimulation treatment for angina pectoris: *review*, **217**
no reflow, Multivessel coronary thrombosis, acute myocardial infarction, and no reflow in a patient with essential thrombocythaemia, **e10**
non-atherosclerotic lesions, Surgical angioplasty of the left main coronary artery in non-atherosclerotic lesions, **91**
non-transplant surgery, Non-transplant surgery for heart failure: *Education*, **603**
normal values, Normal values of M mode echocardiographic measurements of more than 2000 healthy infants and children in central Europe, **667**

oleander poisoning, Acute yellow oleander (*Thevetia peruviana*) poisoning: cardiac arrhythmias, electrolyte disturbances, and serum cardiac glycoside concentrations on presentation to hospital, **301**
open access, Technician run open access exercise electrocardiography: *letter*, **714**
option appraisal, Measuring the costs and benefits of heart disease monitoring, **651**
outcome measurement, Measuring the health related quality of life of people with ischaemic heart disease, **641**
out-of-hospital cardiac deaths, The natural history of acute myocardial infarction: *Education*, **726**

^{31}P-magnetic resonance spectroscopy, Dissociation between muscle metabolism and oxygen kinetics during recovery from exercise in patients with chronic heart failure, **161**
pacemaker leads, Exchange of pacing or defibrillator leads following laser sheath extraction of non-functional leads in patients with ipsilateral obstructed venous access, **e12**
Pacemaker lead related tricuspid stenosis: a report of two cases, **351**
paediatric cardiology, Antegrade transcatheter closure of coronary artery fistulae using vascular occlusion devices, **94**
Left sided valvar regurgitation in normal children and adolescents, **185**
Neurohormonal activation late after cavopulmonary connection, **439**
Normal values of M mode echocardiographic measurements of more than 2000 healthy infants and children in central Europe, **667**
Sudden death in children and adolescents, **410**
Surgical angioplasty of the left main coronary artery in non-atherosclerotic lesions, **91**
Ventricular pre-excitation producing resolution of complete atrioventricular block, **102**
paediatric surgery, Preoperative evaluation and surgery in isolated ventricular septal defects: a 21 year perspective, **198**
papillary muscle rupture, The case for an aggressive surgical approach to papillary muscle rupture following myocardial infarction: "From paradise lost to paradise regained": *editorial*, **611**
Parsonnet score, Parsonnet score is a good predictor of the duration of intensive care unit stay following cardiac surgery, **429**
partial left ventriculectomy, Partial left ventriculectomy improves left ventricular end systolic elastance in patients with idiopathic dilated cardiomyopathy, **316**
patent ductus arteriosus, Evaluation of in vivo biocompatibility of different devices for interventional closure of the patent ductus arteriosus in an animal model, **570**
percutaneous myocardial laser revascularisation, Percutaneous myocardial laser revascularisation: *editorial*, **253**
percutaneous transluminal coronary angioplasty, Intervention in coronary artery disease: *Education*, **481**
Intracoronary dipyridamole reduces the incidence of abrupt vessel closure following PTCA: a prospective randomised trial, **551**
Management of cardiogenic shock complicating acute myocardial infarction: towards evidence based medical practice: *review*, **621**
percutaneous transluminal septal myocardial ablation, Percutaneous transluminal septal myocardial ablation for hypertrophic obstructive cardiomyopathy: long term follow up of the first series of 25 patients, **326**
perfusion, Comparison of myocardial contrast echocardiography with NC100100 and ^{99m}Tc sestamibi SPECT for detection of resting myocardial perfusion abnormalities in patients with previous myocardial infarction, **518**
pericarditis, Submitral pseudoaneurysm in purulent pericarditis: *letter*, **713**
phentermine, Worldwide perspective of valve disease: *Education*, **721**
phosphorylcholine, Biocompatibility of phosphorylcholine coated stents in normal porcine coronary arteries, **338**
plaque rupture, Is preinfarction angina related to the presence or absence of coronary plaque rupture?, **64**
plasma fibrinogen, Plasma fibrinogen, soluble P-selectin, and von Willebrand factor in aortic valve disease: evidence for abnormal haemorheology, platelet activation, and endothelial dysfunction: *letter*, **577**

platelet activation, Plasma fibrinogen, soluble P-selectin, and von Willebrand factor in aortic valve disease: evidence for abnormal haemorheology, platelet activation, and endothelial dysfunction: *letter,* **577**
platelet derived growth factor, Role of endothelial cell denudation and smooth muscle cell dedifferentiation in neointimal formation of human vein grafts after coronary artery bypass grafting: therapeutic implications, **69**
platelet receptor inhibitors, Role of endothelial cell denudation and smooth muscle cell dedifferentiation in neointimal formation of human vein grafts after coronary artery bypass grafting: therapeutic implications, **69**
platelets, Acute severe thrombocytopenia after treatment with ReoPro (abciximab), **e5**
Cocaine activates platelets and increases the formation of circulating platelet containing microaggregates in humans, **688**
platypnoea–orthodeoxia, Platypnoea–orthodeoxia syndrome, **221**
positron emission tomography, Hibernating myocardium: morphological correlates of inotropic stimulation and glucose uptake, **456**
Positron emission tomography and myocardial imaging: *Education,* **475**
potassium channel blocker, Antianginal and anti-ischaemic efficacy of tedisamil, a potassium channel blocker, **167**
preconditioning, Relation between duration and intensity of first exercise and "warm up" in ischaemic heart disease, **17**
pre-excitation, Pre-excitation or post-excitation: *letter,* **585**
pregnancy, Postpartum acute MI following routine ergometrine administration treated successfully by primary PTCA, **97**
prehospital care, Survival after cardiac arrest outside hospital: *letter,* **103**
preinfarction angina, Is preinfarction angina related to the presence or absence of coronary plaque rupture?, **64**
pressure–flow velocity relations, Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation: *letter,* **583**
pressure-volume relations, Improving ventricular systolic function: simple messages from complex models: *editorial,* **614**
primary arrhythmias, Antiarrhythmic management and implantable defibrillator use in survivors of pre-hospital cardiac arrest without myocardial infarction in West Yorkshire, **312**
primary PTCA, Postpartum acute MI following routine ergometrine administration treated successfully by primary PTCA, **97**
primary pulmonary hypertension, Treatment with epoprostenol reverts nitric oxide non-responsiveness in patients with primary pulmonary hypertension, **406**
Prinzmetal angina, Angiographic documented coronary arterial spasm in absence of critical coronary artery stenoses in a patient with variant angina episodes during exercise and dobutamine stress echocardiography, **e4**
prognosis, Epidemiology, aetiology, and prognosis of heart failure: *Education,* **596**
Patients with uncomplicated coronary artery disease have reduced heart rate variability mainly affecting vagal tone, **290**
Racial variation in cardiovascular morbidity and mortality in essential hypertension, **267**
Survival of patients with a new diagnosis of heart failure: a population based study, **505**
propafenone, Is there a synergic effect of propafenone associated with atrial overdrive pacing for atrial arrhythmia prevention? A randomised crossover study, **172**
pseudoaneaurysm, Submitral pseudoaneurysm in purulent pericarditis: *letter,* **713**
pulmonary arteriovenous malformations, Intrapulmonary arteriovenous shunting may be a universal phenomenon in patients with the superior cavopulmonary anastomosis: a radionuclide study, **425**
pulmonary capillary blood volume, The alveolar-capillary membrane diffusing capacity and the pulmonary capillary blood volume in heart transplant candidates, **156**
pulmonary transfer factor, The alveolar-capillary membrane diffusing capacity and the pulmonary capillary blood volume in heart transplant candidates, **156**

Q wave regression, Early and late Q wave regression in the setting of acute myocardial infarction, **708**
quality assurance, Indications for coronary revascularisation: guidelines for the Netherlands: *editorial,* **3**
Using guidelines for coronary revascularisation: how many are needed and are they any good?: *editorial,* **5**
quality of life, Health related quality of life and psychological well-being in patients with dilated cardiomyopathy, **645**
Measuring the health related quality of life of people with ischaemic heart disease, **641**
Quality of life four years after myocardial infarction: short form 36 scores compared with a normal population: *letter,* **104**
The left ventricular dysfunction questionnaire (LVD-36): reliability, validity, and responsiveness, **634**

race, Racial variation in cardiovascular morbidity and mortality in essential hypertension, **267**
radial artery spasm, Radial coronary angiography and stenting: *letter,* **584**
radionuclide, Myocardial stunning after streptokinase: what is the significance of the Q wave?, **e11**
radionuclide scan, Intrapulmonary arteriovenous shunting may be a universal phenomenon in patients with the superior cavopulmonary anastomosis: a radionuclide study, **425**
radiopharmaceuticals, Myocardial perfusion imaging: *Education,* **355**
rationing, Cost effectiveness of statins: *letter,* **713**
Parsonnet score is a good predictor of the duration of intensive care unit stay following cardiac surgery, **429**
recreational drug misuse, Recreational drug misuse: issues for the cardiologist: *review,* **627**
regional wall motion, Effects of cardiac sympathetic innervation on regional wall motion abnormality in patients with long QT syndrome, **295**
remodelling, Preintervention lesion remodelling affects operative mechanisms of balloon optimised directional coronary atherectomy procedures: a volumetric study with three dimensional intravascular ultrasound, **192**
Production of hepatocyte growth factor during acute myocardial infarction, **450**
renal artery stenosis, "Apparent" heart failure: a syndrome caused by renal artery stenoses, **152**
renal disease, Angioplasty and stenting in patients with renal disease: *editorial,* **7**
renal failure, Abnormalities of endothelial function in patients with predialysis renal failure, **205**
renin profiling, Is there a role for renin profiling in selecting chronic heart failure patients for ACE inhibitor treatment?, **257**
ReoPro, Acute severe thrombocytopenia after treatment with ReoPro (abciximab), **e5**
reperfusion injury, Protecting the ischaemic and reperfused myocardium in acute myocardial infarction: distant dream or near reality?: *review,* **381**
restenosis, Coronary stent symmetry and vascular injury determine experimental restenosis, **462**
Intravascular radiotherapy: restenosis and more?: *editorial,* **497**
Raised interleukin 6 concentrations as a predictor of postangioplasty restenosis: *letter,* **578**
revascularisation, Good outcomes from cardiac surgery in the over 70s: *letter,* **106**
Indications for coronary revascularisation: guidelines for the Netherlands: *editorial,* **3**
Mycotic aneurysm of the ascending aorta following CABG, **e3**
Using guidelines for coronary revascularisation: how many are needed and are they any good?: *editorial,* **5**
rheumatic valve disease, Worldwide perspective of valve disease: *Education,* **721**
rheumatoid pericarditis, A case of rheumatoid pericarditis with high concentrations of interleukin-6 in pericardial fluid, **711**
right aortic arch with isolation of the left innominate artery, Ventricular and atrial septal defects, and right aortic arch associated with isolation of the left innominate artery from the aorta, **99**
right ventricular dysplasia, Clinical relevance of right ventricular dysplasia/cardiomyopathy: *editorial,* **9**
risk stratification, Acute coronary syndromes: risk stratification: *Education,* **241**
Chronic heart failure in the elderly: value of cardiopulmonary exercise testing in risk stratification, **147**
Homocysteine, B vitamins, and risk of cardiovascular disease: *editorial,* **127**
ROC curves, ROC curves and confidence intervals: getting them right: *letter,* **236**
root remodelling, The aortic root: structure, function, and surgical reconstruction: *review,* **376**

scorpion, On the management of scorpion stings: *letter,* **585**
second harmonic imaging, Non-contrast second harmonic imaging improves interobserver agreement and accuracy of dobutamine stress echocardiography in patients with impaired image quality, **133**
Second harmonic imaging: a new tune for an old fiddle?: *editorial,* **131**
self medication, Diuretic use and abuse in systolic cardiac failure: a recipe for renal impairment?: *letter,* **468**
septal alcohol ablation, Left ventricular opacification during selective intracoronary injection of echocardiographic contrast in patients with hypertrophic cardiomyopathy, **e7**
single coronary ostium, Coronary arteries from a single coronary ostium in the right coronary sinus: a previously unreported anatomy, **e9**
single photon emission computed tomography, Comparison of myocardial contrast echocardiography with NC100100 and ^{99m}Tc sestamibi SPECT for detection of resting myocardial perfusion abnormalities in patients with previous myocardial infarction, **518**
Myocardial perfusion imaging: *Education,* **355**
sinus rhythm, Pre-excitation or post-excitation: *letter,* **585**
skeletal muscle, Enteroviral infection causing fatal myocarditis and subclinical myopathy, **86**

smoking, Lipid lowering drugs for patients who continue to smoke?: *editorial,* **619**
smoking cessation, Alcohol intake and mortality in middle aged men with diagnosed coronary heart disease, **394**
smooth muscle cell proliferation, Role of endothelial cell denudation and smooth muscle cell dedifferentiation in neointimal formation of human vein grafts after coronary artery bypass grafting: therapeutic implications, **69**
social deprivation, Social deprivation increases cardiac hospitalisations in chronic heart failure independent of disease severity and diuretic non-adherence, **12**
soluble P-selectin, Plasma fibrinogen, soluble P-selectin, and von Willebrand factor in aortic valve disease: evidence for abnormal haemorheology, platelet activation, and endothelial dysfunction: *letter,* **577**
stable angina, Antianginal and anti-ischaemic efficacy of tedisamil, a potassium channel blocker, **167**
Stamps in cardiology, Acupuncture anaesthesia for open heart surgery, **256**
Congresses, **373**
Health campaigns, **130**
Transplantation, **11, 618**
World Health Organization, **496**
staphylococci, Long term outcome of infective endocarditis in patients who were not drug addicts: a 10 year study, **525**
statins, Cost effectiveness of statins: *letter,* **713**
Lipid lowering drugs for patients who continue to smoke?: *editorial,* **619**
statistics, ROC curves and confidence intervals: getting them right: *letter,* **236**
stents, Angioplasty and stenting in patients with renal disease: *editorial,* **7**
Biocompatibility of phosphorylcholine coated stents in normal porcine coronary arteries, **338**
Coronary stent symmetry and vascular injury determine experimental restenosis, **462**
Normalisation of abnormal coronary fractional flow reserve associated with myocardial bridging using an intracoronary stent, **705**
streptococci, Long term outcome of infective endocarditis in patients who were not drug addicts: a 10 year study, **525**
streptokinase, Submitral pseudoaneurysm in purulent pericarditis: *letter,* **713**
stroke, Good outcomes from cardiac surgery in the over 70s: *letter,* **106**
sudden death, Sudden death and regional left ventricular fibrosis with fibromuscular dysplasia of small intramyocardial coronary arteries, **101**
Sudden death in children and adolescents, **410**
surgery, Cardiac valve surgery in the octogenarian: *Education,* **116**
Good outcomes from cardiac surgery in the over 70s: *letter,* **106**
surgical angioplasty, Surgical angioplasty of the left main coronary artery in non-atherosclerotic lesions, **91**
surgical complications, Mycotic aneurysm of the ascending aorta following CABG, **e3**
surveillance, Measuring the costs and benefits of heart disease monitoring, **651**
survival, Survival after cardiac arrest outside hospital: *letter,* **103**
Survival of patients with a new diagnosis of heart failure: a population based study, **505**
swallow syncope, Swallow syncope associated with complete atrioventricular block and vasovagal syncope, **702**
sympathetic innervation, Effects of cardiac sympathetic innervation on regional wall motion abnormality in patients with long QT syndrome, **295**
symptoms, Patients' interpretation of symptoms as a cause of delay in reaching hospital during acute myocardial infarction, **388**
syncope, Clinical features of adenosine sensitive syncope and tilt induced vasovagal syncope, **24**
Diagnosis of carotid sinus hypersensitivity in older adults: carotid sinus massage in the upright position is essential, **22**
The Newcastle protocols for head-up tilt table testing in the diagnosis of vasovagal syncope, carotid sinus hypersensitivity, and related disorders, **564**
syndrome, Negative stress echocardiographic responses in normotensive and hypertensive patients with angina pectoris, positive exercise stress testing, and normal coronary arteriograms, **141**

technetium-99m, Myocardial perfusion imaging: *Education,* **355**
tedisamil, Antianginal and anti-ischaemic efficacy of tedisamil, a potassium channel blocker, **167**
temporal variability, Temporal variability in birth prevalence of cardiovascular malformations, **414**
temporary cardiac pacing, Temporary cardiac pacing: *Education,* **715**
thallium-201, Myocardial perfusion imaging: *Education,* **355**
thoracic impedance, Haemodynamic effects of increasing angle of head up tilt, **181**
three dimensional echocardiography, Left atrial volume assessed by transthoracic three dimensional echocardiography and magnetic resonance imaging: dynamic changes during the heart cycle in children, **537**
thrombocytopenia, Acute severe thrombocytopenia after treatment with ReoPro (abciximab), **e5**
thromboembolism, Mobile intracardiac calcinosis: risk of thromboembolism in patients with haemodialysed end stage renal disease: *letter,* **582**
thrombolysis, Acute myocardial infarction: thrombolysis: *Education,* **122**
Myocardial stunning after streptokinase: what is the significance of the Q wave?, **1e1**
thrombosis, Multivessel coronary thrombosis, acute myocardial infarction, and no reflow in a patient with essential thrombocythaemia, **e10**
The pathophysiology of acute coronary syndromes: *Education,* **361**
tilt table testing, Diagnosis of carotid sinus hypersensitivity in older adults: carotid sinus massage in the upright position is essential, **22**
The Newcastle protocols for head-up tilt table testing in the diagnosis of vasovagal syncope, carotid sinus hypersensitivity, and related disorders, **564**
torsade de pointes, Arrhythmias in the congenital long QT syndrome: how often is torsade de pointes pause dependent?, **661**
total cavopulmonary connection, Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation: *letter,* **583**
training guidelines, Coronary angioplasty: guidelines for good practice and training, **224**
transcutaneous pacing, Temporary cardiac pacing: *Education,* **715**
transmyocardial laser revascularisation, Percutaneous myocardial laser revascularisation: *editorial,* **253**
transoesophageal pacing, Temporary cardiac pacing: *Education,* **715**
transplantation, Value of echocardiography in predicting long term outcome after heart transplantation: *letter,* **105**
transposition of the great arteries, Coronary arterial origins in transposition of the great arteries: factors that affect outcome. A morphological and clinical study, **320**
transvenous endocardial pacing, Temporary cardiac pacing: *Education,* **715**
triage, Triage of patients for short term observation after elective coronary angioplasty, **557**
tricuspid stenosis, Pacemaker lead related tricuspid stenosis: a report of two cases, **351**
tricyclic antidepressant intoxication, Abnormal atrial and ventricular repolarisation resembling myocardial injury after tricyclic antidepressant drug intoxication, **353**
trisomy 2, Ventricular and atrial septal defects, and right aortic arch associated with isolation of the left innominate artery from the aorta, **99**
troponin I, Troponin T or troponin I as cardiac markers in ischaemic heart disease: *editorial,* **371**
troponin T, Troponin T or troponin I as cardiac markers in ischaemic heart disease: *editorial,* **371**
twin studies, Comparative coronary anatomy in six twin pairs with coronary artery disease, **47**

ultrasonics, Preintervention lesion remodelling affects operative mechanisms of balloon optimised directional coronary atherectomy procedures: a volumetric study with three dimensional intravascular ultrasound, **192**
ultrasound guided percutaneous thrombin injection, Ultrasound guided percutaneous thrombin injection for the treatment of iatrogenic pseudoaneurysms: *letter,* **582**
unstable angina, Intravascular radiotherapy: restenosis and more?: *editorial,* **497**
urinary sodium excretion, Is there a role for renin profiling in selecting chronic heart failure patients for ACE inhibitor treatment?, **257**

valve disease, Cardiac valve surgery in the octogenarian: *Education,* **116**
valve replacement, Late aortic homograft valve endocarditis caused by *Cardiobacterium hominis*: a case report and review of the literature, **579**
variant angina, Angiographic documented coronary arterial spasm in absence of critical coronary artery stenoses in a patient with variant angina episodes during exercise and dobutamine stress echocardiography, **e4**
vascular injury, Coronary stent symmetry and vascular injury determine experimental restenosis, **462**
vascular reactivity, Treatment with epoprostenol reverts nitric oxide non-responsiveness in patients with primary pulmonary hypertension, **406**
vasovagal syncope, Haemodynamic effects of increasing angle of head up tilt, **181**
The Newcastle protocols for head-up tilt table testing in the diagnosis of vasovagal syncope, carotid sinus hypersensitivity, and related disorders, **564**
vein graft stenosis, Role of endothelial cell denudation and smooth muscle cell dedifferentiation in neointimal formation of human vein grafts after coronary artery bypass grafting: therapeutic implications, **69**

venous occlusion, Exchange of pacing or defibrillator leads following laser sheath extraction of non-functional leads in patients with ipsilateral obstructed venous access, **e12**
ventricular arrhythmias, Arrhythmogenic right ventricular cardiomyopathy: diagnosis, prognosis, and treatment: *Education,* **588**
ventricular fibrillation, Antiarrhythmic management and implantable defibrillator use in survivors of pre-hospital cardiac arrest without myocardial infarction in West Yorkshire, **312**
ventricular fibrillation conversion test, Induction of atrial fibrillation with rapid high voltage ventricular pacing for ventricular fibrillation conversion testing, **178**
ventricular function, The grade of worsening of regional function during dobutamine stress echocardiography predicts the extent of myocardial perfusion abnormalities, **35**
ventricular obstruction, Left ventricular opacification during selective intracoronary injection of echocardiographic contrast in patients with hypertrophic cardiomyopathy, **e7**
ventricular pre-excitation, Ventricular pre-excitation producing resolution of complete atrioventricular block, **102**
ventricular remodelling, Postinfarction left ventricular remodelling: where are the theories and trials leading us?: *review,* **76**
ventricular rupture, Left ventricular free wall rupture: clinical presentation and management, **499**
ventricular septal defects, Preoperative evaluation and surgery in isolated ventricular septal defects: a 21 year perspective, **198**
Ventricular and atrial septal defects, and right aortic arch associated with isolation of the left innominate artery from the aorta, **99**
ventricular systolic function, Improving ventricular systolic function: simple messages from complex models: *editorial,* **614**
ventricular tachycardia, Antiarrhythmic management and implantable defibrillator use in survivors of pre-hospital cardiac arrest without myocardial infarction in West Yorkshire, **312**
Arrhythmias in the congenital long QT syndrome: how often is torsade de pointes pause dependent?, **661**
verapamil, Effect of verapamil on systolic and diastolic coronary blood flow velocity in asymptomatic and mildly symptomatic patients with hypertrophic cardiomyopathy, **262**
viable myocardium, Exercise four hour redistribution thallium-201 SPECT and exercise induced ST segment elevation in detecting viable myocardium in patients with acute MI: *letter,* **103**
viral particles, Enteroviral infection causing fatal myocarditis and subclinical myopathy, **86**
vitamin B, Homocysteine, B vitamins, and risk of cardiovascular disease: *editorial,* **127**
von Willebrand factor, Plasma fibrinogen, soluble P-selectin, and von Willebrand factor in aortic valve disease: evidence for abnormal haemorheology, platelet activation, and endothelial dysfunction: *letter,* **577**

warm up, Relation between duration and intensity of first exercise and "warm up" in ischaemic heart disease, **17**
wellbeing, Health related quality of life and psychological wellbeing in patients with dilated cardiomyopathy, **645**
white blood cell, Is preinfarction angina related to the presence or absence of coronary plaque rupture?, **64**
Wolff-Parkinson-White syndrome, Histiocytoid cardiomyopathy presenting with Wolff-Parkinson-White syndrome, **98**
The atrioventricular junctions in Ebstein malformation, **444**
Transient appearance of antegrade conduction via an AV accessory pathway caused by atrial fibrillation in a patient with intermittent Wolff-Parkinson-White syndrome, **e8**
Ventricular pre-excitation in the general population: a study on the mode of presentation and clinical course, **29**
Ventricular pre-excitation producing resolution of complete atrioventricular block, **102**
women, Increased serum neopterin: a marker of coronary artery disease activity in women, **346**